



BEIL INFRASTRUCTURE LTD.
(Formerly known as Bharuch Enviro Infrastructure Ltd.)
ANALYTICAL RESEARCH LABORATORY



TEST REPORT

MoEF Approved Laboratory NABL Accredited Lab ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

Barcode Id 8a26294236 Report No/Sample ID TC814119000000625F Report Date 31-Oct-19

Name Of Customer:	BEIL INFRASTRUCTURE LIMITED				
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002				
Sample Description:	AMBIENT AIR				
Sample Quantity:	25 ml	Sample Received Date:	03-Oct-19		
Sampling Location:	NEAR LAB (ST-01)	Sampling Procedure:			
Sample Collected By	AJAY	Analysis Start Date:	04-Oct-19		
Packing Details	null	Analysis Completion Date:	06-Oct-19		
Fuel	---	Sample Type	Air Sample		
Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	SULPHUR DIOXIDE	µg/m3	17.05	80	IS:5182(P-2), 2001
2	RSPM(PM10)	µg/m3	96.11	100	IS:5182(P-23), 2006
3	PM 2.5	µg/m3	44.08	60	GPCB GUIDELINE
4	NITROGEN DIOXIDE	µg/m3	25.68	80	IS:5182(P-6), 2006
5	*AMMONIA (AIR)	µg/m3	BDL	400	TITRIMETRIC
6	ARSENIC AS AS	µg/m3	BDL	6	CPCB GUIDELINE
7	LEAD AS PB	µg/m3	0.064	1	CPCB GUIDELINE
8	NICKEL AS NI	µg/m3	BDL	20	CPCB GUIDELINE

* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----

ANALYSED BY

VERIFIED BY

For BEIL Infrastructure Ltd.

AUTHORIZED BY



BEIL INFRASTRUCTURE LTD.
(Formerly known as Bharuch Enviro Infrastructure Ltd.)
ANALYTICAL RESEARCH LABORATORY
TEST REPORT



MoEF Approved Laboratory NABL Accredited Lab ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

Barcode Id d9cb67b0bc Report No/Sample ID TC81411900000626F Report Date 31-Oct-19

Name Of Customer:	BEIL INFRASTRUCTURE LIMITED				
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002				
Sample Description:	B/H NEW LANDFILL SIDE (ST-02)				
Sample Quantity:	25 ml	Sample Received Date:	03-Oct-19		
Sampling Location:	B/H NEW LANDFILL SIDE	Sampling Procedure:			
Sample Collected By	AJAY	Analysis Start Date:	04-Oct-19		
Packing Details	null	Analysis Completion Date:	06-Oct-19		
Fuel	-	Sample Type	Air Sample		
Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	SULPHUR DIOXIDE	µg/m3	8.73	80	IS:5182(P-2), 2001
2	RSPM(PM10)	µg/m3	94.30	100	IS:5182(P-23), 2006
3	PM 2.5	µg/m3	38.15	60	GPCB GUIDELINE
4	NITROGEN DIOXIDE	µg/m3	18.76	80	IS:5182(P-6), 2006
5	*AMMONIA (AIR)	µg/m3	BDL	400	TITRIMETRIC
6	ARSENIC AS AS	µg/m3	BDL	6	CPCB GUIDELINE
7	LEAD AS PB	µg/m3	0.02	1	CPCB GUIDELINE
8	NICKEL AS NI	µg/m3	BDL	20	CPCB GUIDELINE

* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----

ANALYSED BY

VERIFIED BY

For BEIL Infrastructure Ltd.

AUTHORIZED BY



BEILINFRASTRUCTURE LTD.
(Formerly known as Bharuch Enviro Infrastructure Ltd.)
ANALYTICAL RESEARCH LABORATORY



TEST REPORT

MoEF Approved Laboratory NABL Accredited Lab ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

Barcode Id ea4e82c304 Report No/Sample ID TC81411900000648F Report Date 31-Oct-19

Name Of Customer:	BEIL INFRASTRUCTURE LIMITED				
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002				
Sample Description:	NEAR EB-09				
Sample Quantity:	25 ml	Sample Received Date:	25-Oct-19		
Sampling Location:	NEAR EB-09 (ST-03)	Sampling Procedure:			
Sample Collected By	AJAY PATEL	Analysis Start Date:	26-Oct-19		
Packing Details	null	Analysis Completion Date:	31-Oct-19		
Fuel	--	Sample Type	Air Sample		
Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	SULPHUR DIOXIDE	µg/m3	11.81	80	IS:5182(P-2), 2001
2	RSPM(PM10)	µg/m3	97.22	100	IS:5182(P-23), 2006
3	PM 2.5	µg/m3	42.12	60	GPCB GUIDELINE
4	NITROGEN DIOXIDE	µg/m3	28.87	80	IS:5182(P-6), 2006
5	*AMMONIA (AIR)	µg/m3	BDL	400	TITRIMETRIC
6	ARSENIC AS AS	µg/m3	BDL	6	CPCB GUIDELINE
7	LEAD AS PB	µg/m3	0.023	1	CPCB GUIDELINE
8	NICKEL AS NI	µg/m3	BDL	20	CPCB GUIDELINE

* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----

ANALYSED BY


VERIFIED BY

For BEIL Infrastructure Ltd.

AUTHORIZED BY



BEILINFRASTRUCTURE LTD.
(Formerly known as Bharuch Enviro Infrastructure Ltd.)
ANALYTICAL RESEARCH LABORATORY
TEST REPORT



MoEF Approved Laboratory NABL Accredited Lab ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

Barcode Id 829e10c669 Report No/Sample ID TC81411900000649F Report Date 31-Oct-19

Name Of Customer:	BEIL INFRASTRUCTURE LIMITED				
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002				
	NEAR INCINERION OFFICE				
Sample Description:	(ST- 04)				
Sample Quantity:	25 ML	Sample Received Date:	25-Oct-19		
Sampling Location:	NEAR OFFICE	INCINERION	Sampling Procedure:		
Sample Collected By	AJAY PATEL	Analysis Start Date:	26-Oct-19		
Packing Details	null	Analysis Completion Date:	31-Oct-19		
Fuel	-	Sample Type	Air Sample		
Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	SULPHUR DIOXIDE	µg/m3	12.65	80	IS:5182(P-2), 2001
2	RSPM(PM10)	µg/m3	95.65	100	IS:5182(P-23), 2006
3	PM 2.5	µg/m3	45.10	60	GPCB GUIDELINE
4	NITROGEN DIOXIDE	µg/m3	28.24	80	IS:5182(P-6), 2006
5	*AMMONIA (AIR)	µg/m3	BDL	400	TITRIMETRIC
6	ARSENIC AS AS	µg/m3	BDL	6	CPCB GUIDELINE
7	LEAD AS PB	µg/m3	0.031	1	CPCB GUIDELINE
8	NICKEL AS NI	µg/m3	BDL	20	CPCB GUIDELINE

* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----

ANALYSED BY

VERIFIED BY

For BEIL Infrastructure Ltd.

AUTHORIZED BY



BEILINFRASTRUCTURE LTD.

(Formerly known as Bharuch Enviro Infrastructure Ltd.)

ANALYTICAL RESEARCH LABORATORY

TEST REPORT



MoEF Approved Laboratory NABL Accredited Lab ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

Barcode Id 6efe5c2399 Report No/Sample ID TC814119000000650F Report Date 31-Oct-19

Name Of Customer:	BEIL INFRASTRUCTURE LIMITED				
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002				
	B/H SHED NO-08 (ST-05)				
Sample Description:					
Sample Quantity:	25 ML	Sample Received Date:	25-Oct-19		
Sampling Location:		Sampling Procedure:			
Sample Collected By	AJAY PATEL	Analysis Start Date:	26-Oct-19		
Packing Details	null	Analysis Completion Date:	31-Oct-19		
Fuel	--	Sample Type	Air Sample		
Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	SULPHUR DIOXIDE	µg/m ³	15.32	80	IS:5182(P-2), 2001
2	RSPM(PM10)	µg/m ³	95.08	100	IS:5182(P-23), 2006
3	PM 2.5	µg/m ³	40.04	60	GPCB GUIDELINE
4	NITROGEN DIOXIDE	µg/m ³	38.38	80	IS:5182(P-6), 2006
5	*AMMONIA (AIR)	µg/m ³	BDL	400	TITRIMETRIC
6	ARSENIC AS AS	µg/m ³	BDL	6	CPCB GUIDELINE
7	LEAD AS PB	µg/m ³	0.025	1	CPCB GUIDELINE
8	NICKEL AS NI	µg/m ³	BDL	20	CPCB GUIDELINE

* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----

ANALYSED BY

VERIFIED BY

For BEIL Infrastructure Ltd.

AUTHORIZED BY



BEIL INFRASTRUCTURE LIMITED
(Formerly known as Bharuch Enviro Infrastructure Ltd.)
ANALYTICAL RESEARCH LABORATORY



TEST REPORT

MoEF Approved Laboratory

ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

Barcode Id b093dea250 Report No/Sample ID TC814119000000696F Report Date 01-Dec-19

Name Of Customer:	BEIL INFRASTRUCTURE LIMITED				
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002				
Sample Description:	AMBIENT AIR				
Sample Quantity:	25 ml	Sample Received Date:	07-Nov-19		
Sampling Location:	B/H Shed No 8 (ST-05)	Sampling Procedure:			
Sample Collected By	BY BEIL	Analysis Start Date:	08-Nov-19		
Packing Details	null	Analysis Completion Date:	09-Dec-19		
Fuel	---	Sample Type	Air Sample		
Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	SULPHUR DIOXIDE	µg/m3	4.54	80	IS:5182(P-2), 2001
2	RSPM(PM10)	µg/m3	84.50	100	IS:5182(P-23), 2006
3	PM 2.5	µg/m3	30.22	60	GPCB GUIDELINE
4	NITROGEN DIOXIDE	µg/m3	16.50	80	IS:5182(P-6), 2006
5	AMMONIA (AIR)	µg/m3	BDL	400	TITRIMETRIC
6	ARSENIC AS AS	ng/m3	BDL	6	CPCB GUIDELINE
7	LEAD AS PB	µg/m3	0.032	1	CPCB GUIDELINE
8	NICKEL AS NI	ng/m3	BDL	20	CPCB GUIDELINE

* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----

ANALYSED BY

VERIFIED BY

For BEIL Infrastructure Ltd.

AUTHORIZED BY



BEIL INFRASTRUCTURE LIMITED
(Formerly known as Bharuch Enviro Infrastructure Ltd.)
ANALYTICAL RESEARCH LABORATORY
TEST REPORT



MoEF Approved Laboratory

ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

Barcode Id 39ce773578 Report No/Sample ID TC814119000000695F Report Date 01-Dec-19

Name Of Customer:	BEIL INFRASTRUCTURE LIMITED				
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002				
Sample Description:	AMBIENT AIR				
Sample Quantity:	25 ml	Sample Received Date:	07-Nov-19		
Sampling Location:	Nr.Inc Office (ST-04)	Sampling Procedure:			
Sample Collected By	BY BEIL	Analysis Start Date:	08-Nov-19		
Packing Details	null	Analysis Completion Date:	09-Dec-19		
Fuel	---	Sample Type	Air Sample		
Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	SULPHUR DIOXIDE	µg/m ³	6.01	80	IS:5182(P-2), 2001
2	RSPM(PM10)	µg/m ³	87.82	100	IS:5182(P-23), 2006
3	PM 2.5	µg/m ³	26.25	60	GPCB GUIDELINE
4	NITROGEN DIOXIDE	µg/m ³	13.01	80	IS:5182(P-6), 2006
5	AMMONIA (AIR)	µg/m ³	BDL	400	TITRIMETRIC
6	ARSENIC AS AS	µg/m ³	BDL	6	CPCB GUIDELINE
7	LEAD AS PB	µg/m ³	0.025	1	CPCB GUIDELINE
8	NICKEL AS NI	µg/m ³	BDL	20	CPCB GUIDELINE

* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----

ANALYSED BY

VERIFIED BY

For BEIL Infrastructure Ltd.

AUTHORIZED BY



BEIL INFRASTRUCTURE LIMITED

(Formerly known as Bharuch Enviro Infrastructure Ltd.)

ANALYTICAL RESEARCH LABORATORY

TEST REPORT



MoEF Approved Laboratory

ISO 14001 & BS OHSAS 18001 Certified Laboratory


Page: 1 of 1

Barcode Id 04b31536f2 Report No/Sample ID TC814119000000694F Report Date 01-Dec-19

Name Of Customer:	BEIL INFRASTRUCTURE LIMITED				
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002				
Sample Description:	AMBIENT AIR				
Sample Quantity:	25 ml	Sample Received Date:	07-Nov-19		
Sampling Location:	Nr.EB-9 (ST-03)	Sampling Procedure:			
Sample Collected By	BY BEIL	Analysis Start Date:	08-Nov-19		
Packing Details	null	Analysis Completion Date:	01-Dec-19		
Fuel	---	Sample Type	Air Sample		
Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	*SULPHUR DIOXIDE	µg/m3	6.33	80	IS:5182(P-2), 2001
2	*RSPM(PM10)	µg/m3	83.72	100	IS:5182(P-23), 2006
3	*PM 2.5	µg/m3	24.37	60	GPCB GUIDELINE
4	*NITROGEN DIOXIDE	µg/m3	11.41	80	IS:5182(P-6), 2006
5	*ARSENIC AS AS	ng/m3	BDL	6	CPCB GUIDELINE
6	*LEAD AS PB	µg/m3	0.021	1	CPCB GUIDELINE
7	*NICKEL AS NI	ng/m3	BDL	20	CPCB GUIDELINE
8	*AMMONIA	µg/m3	BDL	400	APHA801 AIR SAMPLING& ANALYSIS)

* Parameters are in NABL scope

Remarks:


ANALYSED BY

END OF REPORT

VERIFIED BY

For BEIL Infrastructure Ltd.


AUTHORIZED BY



BEIL INFRASTRUCTURE LIMITED
(Formerly known as Bharuch Enviro Infrastructure Ltd.)
ANALYTICAL RESEARCH LABORATORY
TEST REPORT



MoEF Approved Laboratory

ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

Barcode Id 4e12475a42 Report No/Sample ID TC814119000000704F Report Date 01-Dec-19

Name Of Customer:	BEIL INFRASTRUCTURE LIMITED				
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002				
Sample Description:	AMBIENT AIR				
Sample Quantity:	1	Sample Received Date:	14-Nov-19		
Sampling Location:	B/H New Landfill Site (ST-02)	Sampling Procedure:			
Sample Collected By	By BEIL	Analysis Start Date:	15-Nov-19		
Packing Details	null	Analysis Completion Date:	16-Nov-19		
Fuel	---	Sample Type	Air Sample		
Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	SULPHUR DIOXIDE	µg/m3	10.17	80	IS:5182(P-2), 2001
2	RSPM(PM10)	µg/m3	87.43	100	IS:5182(P-23), 2006
3	PM 2.5	µg/m3	25.38	60	GPCB GUIDELINE
4	NITROGEN DIOXIDE	µg/m3	27.86	80	IS:5182(P-6), 2006
5	AMMONIA (AIR)	µg/m3	BDL	400	TITRIMETRIC
6	ARSENIC AS AS	ng/m3	BDL	6	CPCB GUIDELINE
7	LEAD AS PB	µg/m3	0.029	1	CPCB GUIDELINE
8	NICKEL AS NI	ng/m3	BDL	20	CPCB GUIDELINE

* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----

ANALYSED BY

VERIFIED BY

For BEIL Infrastructure Ltd.

AUTHORIZED BY



BEIL INFRASTRUCTURE LIMITED

(Formerly known as Bharuch Enviro Infrastructure Ltd.)

ANALYTICAL RESEARCH LABORATORY

TEST REPORT



MoEF Approved Laboratory

ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

Barcode Id c02fbcdfaa Report No/Sample ID TC81411900000703F Report Date 01-Dec-19

Name Of Customer:	BEIL INFRASTRUCTURE LIMITED				
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002				
Sample Description:	AMBIENT AIR				
Sample Quantity:	25 ml	Sample Received Date:	14-Nov-19		
Sampling Location:	Nr.Lab (ST-01)	Sampling Procedure:			
Sample Collected By	By BEIL	Analysis Start Date:	15-Nov-19		
Packing Details	null	Analysis Completion Date:	17-Nov-19		
Fuel	---	Sample Type	Air Sample		
Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	SULPHUR DIOXIDE	µg/m3	34.94	80	IS:5182(P-2), 2001
2	RSPM(PM10)	µg/m3	84.51	100	IS:5182(P-23), 2006
3	PM 2.5	µg/m3	24.4	60	GPCB GUIDELINE
4	NITROGEN DIOXIDE	µg/m3	23.99	80	IS:5182(P-6), 2006
5	ARSENIC AS AS	ng/m3	BDL	6	CPCB GUIDELINE
6	LEAD AS PB	µg/m3	0.031	1	CPCB GUIDELINE
7	NICKEL AS NI	ng/m3	BDL	20	CPCB GUIDELINE
8	AMMONIA	µg/m3	BDL	400	APHA801 AIR SAMPLING& ANALYSIS)

* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----

ANALYSED BY

VERIFIED BY

For BEIL Infrastructure Ltd.

AUTHORIZED BY



BEIL INFRASTRUCTURE LIMITED

(Formerly known as Bharuch Enviro Infrastructure Ltd.)

ANALYTICAL RESEARCH LABORATORY

TEST REPORT



MoEF Approved Laboratory

ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

Barcode Id d52c084d3c Report No/Sample ID TC81411900000847F Report Date 24-Dec-19

Name Of Customer:	BEIL INFRASTRUCTURE LIMITED		
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002		
Sample Description:	AMBIENT AIR		
Sample Quantity:	25 ml	Sample Received Date:	14-Dec-19
Sampling Location:	NEAR LAB (ST-01)	Sampling Procedure:	
Sample Collected By	by BEIL	Analysis Start Date:	15-Dec-19
Packing Details	null	Analysis Completion Date:	24-Dec-19
Fuel	--	Sample Type	Air Sample

Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	SULPHUR DIOXIDE	µg/m3	4.33	80	IS:5182(P-2), 2001
2	RSPM(PM10)	µg/m3	96.38	100	IS:5182(P-23), 2006
3	PM 2.5	µg/m3	31.8	60	GPCB GUIDELINE
4	NITROGEN DIOXIDE	µg/m3	1.47	80	IS:5182(P-6), 2006
5	ARSENIC AS AS	ng/M3	BDL	0.6	CPCB GUIDELINE
6	LEAD AS PB	µg/m3	0.021	1	CPCB GUIDELINE
7	NICKEL AS NI	ng/M3	BDL	20	CPCB GUIDELINE
8	AMMONIA	µg/m3	BDL	400	APHA801 AIR SAMPLING& ANALYSIS)

* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----


ANALYSED BY


VERIFIED BY


For BEIL Infrastructure Ltd.
AUTHORIZED BY



BEIL INFRASTRUCTURE LIMITED

(Formerly known as Bharuch Enviro Infrastructure Ltd.)

ANALYTICAL RESEARCH LABORATORY

TEST REPORT



MoEF Approved Laboratory

ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

Barcode Id f40784bf13 Report No/Sample ID TC814119000000774F Report Date 12-Dec-19

Name Of Customer:	BEIL INFRASTRUCTURE LIMITED		
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002		
Sample Description:	AMBIENT AIR		
Sample Quantity:	01	Sample Received Date:	03-Dec-19
Sampling Location:	Nr,EB-9 (ST-03)	Sampling Procedure:	
Sample Collected By	BY BEIL	Analysis Start Date:	04-Dec-19
Packing Details	null	Analysis Completion Date:	12-Dec-19
Fuel	---	Sample Type	Air Sample

Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	SULPHUR DIOXIDE	µg/m3	19.28	80	IS:5182(P-2), 2001
2	RSPM(PM10)	µg/m3	91.43	100	IS:5182(P-23), 2006
3	PM 2.5	µg/m3	45.56	60	GPCB GUIDELINE
4	NITROGEN DIOXIDE	µg/m3	30.60	80	IS:5182(P-6), 2006
5	ARSENIC AS AS	ng/M3	BDL	6	CPCB GUIDELINE
6	LEAD AS PB	µg/m3	0.034	1	CPCB GUIDELINE
7	NICKEL AS NI	ng/M3	BDL	20	CPCB GUIDELINE
8	AMMONIA	µg/m3	BDL	400	APHA801 AIR SAMPLING& ANALYSIS)

* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----


ANALYSED BY


VERIFIED BY

For BEIL Infrastructure Ltd.


AUTHORIZED BY

Works Office: Plot No 9701-16, G.I.D.C. Estate, Post Box No 82, Ankleshwar - 393002, Dist - Bharuch (Gujarat)

Tel: (02646) 253135, 225228 | Fax: (02646) 222849 | E-Mail: dalwadibd@beil.co.in, sathish.gaddam@beil.co.in

Regd. office: Plot No 117-118, G.I.D.C. Estate, Ankleshwar - 393002, Dist - Bharuch (Gujarat)

CIN NO : U45300GJ1997PLC032696

Terms & Condition are on backside



BEIL INFRASTRUCTURE LIMITED

(Formerly known as Bharuch Enviro Infrastructure Ltd.)

ANALYTICAL RESEARCH LABORATORY

TEST REPORT



MoEF Approved Laboratory

ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

Barcode Id a00fd3efb4 Report No/Sample ID TC814119000000775F Report Date 12-Dec-19


Name Of Customer:	BEIL INFRASTRUCTURE LIMITED		
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002		
Sample Description:	AMBIENT AIR		
Sample Quantity:	01	Sample Received Date:	03-Dec-19
Sampling Location:	Nr,Inc-Office (ST-04)	Sampling Procedure:	
Sample Collected By	BY BEIL	Analysis Start Date:	04-Dec-19
Packing Details	null	Analysis Completion Date:	12-Dec-19
Fuel	---	Sample Type	Air Sample

Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	SULPHUR DIOXIDE	µg/m3	20.77	80	IS:5182(P-2), 2001
2	RSPM(PM10)	µg/m3	93.41	100	IS:5182(P-23), 2006
3	PM 2.5	µg/m3	40.60	60	GPCB GUIDELINE
4	NITROGEN DIOXIDE	µg/m3	41.44	80	IS:5182(P-6), 2006
5	ARSENIC AS AS	ng/M3	BDL	6	CPCB GUIDELINE
6	LEAD AS PB	µg/m3	0.037	1	CPCB GUIDELINE
7	NICKEL AS NI	ng/M3	BDL	20	CPCB GUIDELINE
8	AMMONIA	µg/m3	BDL	400	APHA801 AIR SAMPLING & ANALYSIS

* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----


ANALYSED BY


VERIFIED BY

For BEIL Infrastructure Ltd.

AUTHORIZED BY

Works Office: Plot No 9701-16, G.I.D.C. Estate, Post Box No 82, Ankleshwar - 393002, Dist - Bharuch (Gujarat)

Tel: (02646) 253135, 225228 | Fax: (02646) 222849 | E-Mail: dalwadi@beil.co.in, sathish.gaddam@beil.co.in

Regd. office: Plot No 117-118, G.I.D.C. Estate, Ankleshwar - 393002, Dist - Bharuch (Gujarat)

CIN NO : U45300GJ1997PLC032696

Terms & Condition are on backside



BEIL INFRASTRUCTURE LIMITED

(Formerly known as Bharuch Enviro Infrastructure Ltd.)

ANALYTICAL RESEARCH LABORATORY

TEST REPORT



MoEF Approved Laboratory

ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

Barcode Id af570c891c Report No/Sample ID TC814119000000776F Report Date 12-Dec-19

Name Of Customer:	BEIL INFRASTRUCTURE LIMITED		
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002		
Sample Description:	AMBIENT AIR		
Sample Quantity:	01	Sample Received Date:	03-Dec-19
Sampling Location:	Nr,Shed No-8 (ST-05)	Sampling Procedure:	
Sample Collected By	BY BEIL	Analysis Start Date:	04-Dec-19
Packing Details	null	Analysis Completion Date:	12-Dec-19
Fuel	---	Sample Type	Air Sample

Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	SULPHUR DIOXIDE	µg/m3	21.60	80	IS:5182(P-2), 2001
2	RSPM(PM10)	µg/m3	91.0	100	IS:5182(P-23), 2006
3	PM 2.5	µg/m3	43.56	60	GPCB GUIDELINE
4	NITROGEN DIOXIDE	µg/m3	43.89	80	IS:5182(P-6), 2006
5	ARSENIC AS AS	ng/M3	BDL	6	CPCB GUIDELINE
6	LEAD AS PB	µg/m3	0.0034	1	CPCB GUIDELINE
7	NICKEL AS NI	ng/M3	BDL	20	CPCB GUIDELINE
8	AMMONIA	µg/m3	BDL	400	APHA801 AIR SAMPLING & ANALYSIS)

* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----


ANALYSED BY


VERIFIED BY

For BEIL Infrastructure Ltd.


AUTHORIZED BY

Works Office: Plot No 9701-16, G.I.D.C. Estate, Post Box No 82, Ankleshwar - 393002, Dist - Bharuch (Gujarat)

Tel: (02646) 253135, 225228 | Fax: (02646) 222849 | E-Mail: dalwadibd@beil.co.in, sathish.gaddam@beil.co.in

Regd. office: Plot No 117-118, G.I.D.C. Estate, Ankleshwar - 393002, Dist - Bharuch (Gujarat)

CIN NO : U45300GJ1997PLC032696

Terms & Condition are on backside



BEIL INFRASTRUCTURE LIMITED

(Formerly known as Bharuch Enviro Infrastructure Ltd.)

ANALYTICAL RESEARCH LABORATORY

TEST REPORT



MoEF Approved Laboratory

ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

Barcode Id af2ce4fd8a Report No/Sample ID TC814119000000848F Report Date 24-Dec-19

Name Of Customer:	BEIL INFRASTRUCTURE LIMITED		
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002		
Sample Description:	AMBIENT AIR		
Sample Quantity:	25 ml	Sample Received Date:	14-Dec-19
Sampling Location:	B/H NEW LANDFILL SIDE-	Sampling Procedure:	
Sample Collected By	by BEIL	Analysis Start Date:	15-Dec-19
Packing Details	null	Analysis Completion Date:	24-Dec-19
Fuel	--	Sample Type	Air Sample

Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	SULPHUR DIOXIDE	µg/m3	6.31	80	IS:5182(P-2), 2001
2	RSPM(PM10)	µg/m3	93.66	100	IS:5182(P-23), 2006
3	PM 2.5	µg/m3	33.12	60	GPCB GUIDELINE
4	NITROGEN DIOXIDE	µg/m3	8.39	80	IS:5182(P-6), 2006
5	ARSENIC AS AS	ng/M3	BDL	0.6	CPCB GUIDELINE
6	LEAD AS PB	µg/m3	0.030	1	CPCB GUIDELINE
7	NICKEL AS NI	ng/M3	BDL	20	CPCB GUIDELINE
8	AMMONIA	µg/m3	BDL	400	APHA801 AIR SAMPLING& ANALYSIS)


* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----


ANALYSED BY


VERIFIED BY


For BEIL Infrastructure Ltd.
AUTHORIZED BY

Works Office: Plot No 9701-16, G.I.D.C. Estate, Post Box No 82, Ankleshwar - 393002, Dist - Bharuch (Gujarat)

Tel: (02646) 253135, 225228 | Fax: (02646) 222849 | E-Mail: dalwadibd@beil.co.in, sathish.gaddam@beil.co.in

Regd. office: Plot No 117-118, G.I.D.C. Estate, Ankleshwar - 393002, Dist - Bharuch (Gujarat)

CIN NO : U45300GJ1997PLC032696

Terms & Condition are on backside



BEIL INFRASTRUCTURE LIMITED

(Formerly known as Bharuch Enviro Infrastructure Ltd.)

ANALYTICAL RESEARCH LABORATORY

TEST REPORT



TC-8141

MoEF Approved Laboratory NABL ACCREDITED LAB (TC-8141) ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

Barcode Id 3b5dec0159 Report No/Sample ID TC814120000000038F Report Date 01-Feb-20

Name Of Customer:	BEIL INFRASTRUCTURE LIMITED		
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002		
Sample Description:	AMBIENT AIR (STATION-1)		
Sample Quantity:	25 ml	Sample Received Date:	16-Jan-20
Sampling Location:	OPP-LAB NEAR LANDFILL PHASE-1 (ST-01)	Sampling Procedure:	
Sample Collected By	Ajay Patel	Analysis Start Date:	17-Jan-20
Packing Details	null	Analysis Completion Date:	01-Feb-20
Fuel	---	Sample Type	Air Sample

Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	SULPHUR DIOXIDE	µg/m3	14.36	80	IS:5182(P-2), 2001
2	RSPM(PM10)	µg/m3	90.50	100	IS:5182(P-23), 2006
3	PM 2.5	µg/m3	28.44	60	CPCB GUIDELINE
4	NITROGEN DIOXIDE	µg/m3	18.20	80	IS:5182(P-6), 2006
5	ARSENIC AS AS	ng/M3	BDL	6.0	CPCB GUIDELINE
6	LEAD AS PB	µg/m3	BDL	1.0	CPCB GUIDELINE
7	NICKEL AS NI	ng/M3	BDL	20	CPCB GUIDELINE
8	AMMONIA	µg/m3	BDL	400	CPCB GUIDELINE

* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----

For BEIL Infrastructure Ltd.

ANALYSED BY

VERIFIED BY

AUTHORIZED BY

Regd. office & Works Office: Plot No 9701-16, G.I.D.C. Estate, Post Box No 82, Ankleshwar - 393002, Dist - Bharuch (Gujarat)

Tel: (02646) 253135, 225228 | Fax: (02646) 222849 | E-Mail: dalwadibd@beil.co.in, sathish.gaddam@beil.co.in

CIN NO : U45300GJ1997PLC032696

Terms & Condition are on backside



BEIL INFRASTRUCTURE LIMITED

(Formerly known as Bharuch Enviro Infrastructure Ltd.)

ANALYTICAL RESEARCH LABORATORY

TEST REPORT



TC-8141

MoEF Approved Laboratory NABL ACCREDITED LAB (TC-8141) ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

-Barcode Id 27db9c0010 Report No/Sample ID TC81412000000040F Report Date 01-Feb-20

Name Of Customer:	BEIL INFRASTRUCTURE LIMITED		
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002		
Sample Description:	AMBIENT AIR (STATION-2)		
Sample Quantity:	25 ml	Sample Received Date:	16-Jan-20
Sampling Location:	Nr, Phase-2 opp, LW-3, Detox side road.	Sampling Procedure:	
Sample Collected By	Ajay Patel	Analysis Start Date:	17-Jan-20
Packing Details	---	Analysis Completion Date:	01-Feb-20
Fuel	---	Sample Type	Air Sample

Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	SULPHUR DIOXIDE	µg/m3	20.16	80	IS:5182(P-2), 2001
2	RSPM(PM10)	µg/m3	92.64	100	IS:5182(P-23), 2006
3	PM 2.5	µg/m3	30.44	60	CPCB GUIDELINE
4	NITROGEN DIOXIDE	µg/m3	28.24	80	IS:5182(P-6), 2006
5	AMMONIA (AIR)	µg/m3	BDL	400	CPCB GUIDELINE
6	ARSENIC AS AS	ng/M3	BDL	6.0	CPCB GUIDELINE
7	LEAD AS PB	µg/m3	BDL	1.0	CPCB GUIDELINE
8	NICKEL AS NI	ng/M3	BDL	20	CPCB GUIDELINE

* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----

For BEIL Infrastructure Ltd.

ANALYSED BY

VERIFIED BY

AUTHORIZED BY

Regd. office & Works Office: Plot No 9701-16, G.I.D.C. Estate, Post Box No 82, Ankleshwar - 393002, Dist - Bharuch (Gujarat)

Tel: (02646) 253135, 225228 | Fax: (02646) 222849 | E-Mail: dalwadibd@beil.co.in, sathish.gaddam@beil.co.in

CIN NO : U45300GJ1997PLC032696

Terms & Condition are on backside



BEIL INFRASTRUCTURE LIMITED

(Formerly known as Bharuch Enviro Infrastructure Ltd.)

ANALYTICAL RESEARCH LABORATORY

TEST REPORT



TC-8141

MoEF Approved Laboratory NABL ACCREDITED LAB (TC-8141) ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

Barcode Id 2975e3c32a Report No/Sample ID TC814120000000041F Report Date 01-Feb-20

Name Of Customer:	BEIL INFRASTRUCTURE LIMITED		
Address Of Customer:	Plot No 9701-16, GIDC Estate Ankleshwar, Dist : Bharuch, Gujarat Ankleshwar - 393002		
Sample Description:	AMBIENT AIR (STATION-3)		
Sample Quantity:	25 ml	Sample Received Date:	16-Jan-20
Sampling Location:	ST-3: Behind Shed No. 08 corner	Sampling Procedure:	
Sample Collected By	Ajay Patel	Analysis Start Date:	17-Jan-20
Packing Details	---	Analysis Completion Date:	01-Feb-20
Fuel	---	Sample Type	Air Sample


Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	SULPHUR DIOXIDE	µg/m ³	26.16	80	IS:5182(P-2), 2001
2	RSPM(PM10)	µg/m ³	92.54	100	IS:5182(P-23), 2006
	PM 2.5	µg/m ³	32.06	60	CPCB GUIDELINE
3	NITROGEN DIOXIDE	µg/m ³	24.30	80	IS:5182(P-6), 2006
4	ARSENIC AS AS	ng/M ³	BDL	6.0	CPCB GUIDELINE
5	LEAD AS PB	µg/m ³	BDL	1.0	CPCB GUIDELINE
6	NICKEL AS NI	ng/M ³	BDL	20	CPCB GUIDELINE
7	AMMONIA	µg/m ³	BDL	400	CPCB GUIDELINE

* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----

For BEIL Infrastructure Ltd.


ANALYSED BY


VERIFIED BY


AUTHORIZED BY

Regd. office & Works Office: Plot No 9701-16, G.I.D.C. Estate, Post Box No 82, Ankleshwar - 393002, Dist - Bharuch (Gujarat)

Tel: (02646) 253135, 225228 | Fax: (02646) 222849 | E-Mail: dalwadibd@beil.co.in, sathish.gaddam@beil.co.in

CIN NO : U45300GJ1997PLC032696

Terms & Condition are on backside



BEIL INFRASTRUCTURE LIMITED

(Formerly known as Bharuch Enviro Infrastructure Ltd.)

ANALYTICAL RESEARCH LABORATORY

TEST REPORT



MoEF Approved Laboratory NABL ACCREDITED LAB (TC-8141) ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

Barcode Id e0c01f0123 Report No/Sample ID TC81412000000086F Report Date 17-Feb-20

Name Of Customer:	BEIL INFRASTRUCTURE LIMITED		
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002		
Sample Description:	AMBIENT AIR (STATION-1)		
Sample Quantity:	25 ml	Sample Received Date:	06-Feb-20
Sampling Location:	OPP-LAB NEAR LANDFILL	Sampling Procedure:	
Sample Collected By	BY BEIL	Analysis Start Date:	08-Feb-20
Packing Details	null	Analysis Completion Date:	17-Feb-20
Fuel	---	Sample Type	Air Sample

Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	SULPHUR DIOXIDE	µg/m3	6.08	80	IS:5182(P-2), 2001
2	RSPM(PM10)	µg/m3	85.26	100	IS:5182(P-23), 2006
3	PM 2.5	µg/m3	49.90	60	GPCB GUIDELINE
4	NITROGEN DIOXIDE	µg/m3	8.29	80	IS:5182(P-6), 2006
5	AMMONIA (AIR)	µg/m3	BDL	400	TITRIMETRIC
6	ARSENIC AS AS	ng/M3	BDL	6	CPCB GUIDELINE
7	LEAD AS PB	µg/m3	BDL	1.0	CPCB GUIDELINE
8	NICKEL AS NI	ng/M3	BDL	20	CPCB GUIDELINE

* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----

ANALYSED BY

VERIFIED BY

AUTHORIZED BY

For BEIL Infrastructure Ltd.



BEIL INFRASTRUCTURE LIMITED

(Formerly known as Bharuch Enviro Infrastructure Ltd.)

ANALYTICAL RESEARCH LABORATORY

TEST REPORT



MoEF Approved Laboratory NABL ACCREDITED LAB (TC-8141) ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

Barcode Id 7d07bd067b Report No/Sample ID TC81412000000091F Report Date 17-Feb-20

Name Of Customer:	BEIL INFRASTRUCTURE LIMITED		
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002		
Sample Description:	AMBIENT AIR (STATION-2)		
Sample Quantity:	1	Sample Received Date:	06-Feb-20
Sampling Location:	Phase-2, Opp. LW-3, Detox	Sampling Procedure:	
Sample Collected By	BY BEIL	Analysis Start Date:	07-Feb-20
Packing Details	null	Analysis Completion Date:	17-Feb-20
Fuel	---	Sample Type	Air Sample

Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	SULPHUR DIOXIDE	µg/m3	7.03	80	IS:5182(P-2), 2001
2	RSPM(PM10)	µg/m3	91.36	100	IS:5182(P-23), 2006
3	PM 2.5	µg/m3	32.80	60	GPCB GUIDELINE
4	NITROGEN DIOXIDE	µg/m3	11.80	80	IS:5182(P-6), 2006
5	AMMONIA (AIR)	µg/m3	BDL	400	TITRIMETRIC
6	ARSENIC AS AS	ng/M3	BDL	6	CPCB GUIDELINE
7	LEAD AS PB	µg/m3	BDL	1	CPCB GUIDELINE
8	NICKEL AS NI	ng/M3	BDL	20	CPCB GUIDELINE

* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----

For BEIL Infrastructure Ltd.

ANALYSED BY

VERIFIED BY

AUTHORIZED BY



BEIL INFRASTRUCTURE LIMITED

(Formerly known as Bharuch Enviro Infrastructure Ltd.)

ANALYTICAL RESEARCH LABORATORY

TEST REPORT



MoEF Approved Laboratory NABL ACCREDITED LAB (TC-8141) ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

Barcode Id 95ceb3f802 Report No/Sample ID TC81412000000087F Report Date 17-Feb-20

Name Of Customer:	BEIL INFRASTRUCTURE LIMITED		
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002		
Sample Description:	AMBIENT AIR (STATION-3)		
Sample Quantity:	25 ml	Sample Received Date:	06-Feb-20
Sampling Location:	Behind Shed No. 08 corner.	Sampling Procedure:	
Sample Collected By	BY BEIL	Analysis Start Date:	07-Feb-20
Packing Details	null	Analysis Completion Date:	17-Feb-20
Fuel	---	Sample Type	Air Sample

Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	SULPHUR DIOXIDE	µg/m3	12.46	80	IS:5182(P-2), 2001
2	RSPM(PM10)	µg/m3	88.20	100	IS:5182(P-23), 2006
3	PM 2.5	µg/m3	30.44	60	GPCB GUIDELINE
4	NITROGEN DIOXIDE	µg/m3	8.44	80	IS:5182(P-6), 2006
5	AMMONIA (AIR)	µg/m3	BDL	400	TITRIMETRIC
6	ARSENIC AS AS	ng/M3	BDL	6	CPCB GUIDELINE
7	LEAD AS PB	µg/m3	BDL	1	CPCB GUIDELINE
8	NICKEL AS NI	ng/M3	BDL	20	CPCB GUIDELINE

* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----

For BEIL Infrastructure Ltd.

ANALYSED BY

VERIFIED BY

AUTHORIZED BY



BEIL INFRASTRUCTURE LIMITED

(Formerly known as Bharuch Enviro Infrastructure Ltd.)

ANALYTICAL RESEARCH LABORATORY

TEST REPORT



MoEF Approved Laboratory NABL ACCREDITED LAB (TC-8141) ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

Barcode Id 3aac310d79 Report No/Sample ID TC814120000000212F Report Date 31-Mar-20


Name Of Customer:	BEIL INFRASTRUCTURE LIMITED		
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002		
Sample Description:	AMBIENT AIR (STATION-1)		
Sample Quantity:	25 ml	Sample Received Date:	17-Mar-20
Sampling Location:	Opp,Lab Near Landfill Phase-	Sampling Procedure:	
Sample Collected By	BY BEIL	Analysis Start Date:	18-Mar-20
Packing Details	null	Analysis Completion Date:	31-Mar-20
Fuel	---	Sample Type	Air Sample

Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	RSPM(PM10)	µg/m3	66.19	100	IS:5182(P-23), 2006
2	PM 2.5	µg/m3	25.19	60	GPCB GUIDELINE
3	SULPHUR DIOXIDE	µg/m3	2.78	80	IS:5182(P-2), 2001
4	NITROGEN DIOXIDE	µg/m3	4.86	80	IS:5182(P-6), 2006
5	AMMONIA (AIR)	µg/m3	BDL	400	TITRIMETRIC
6	LEAD AS PB	µg/m3	BDL	1.0	CPCB GUIDELINE
7	ARSENIC AS AS	µg/m3	BDL	6	CPCB GUIDELINE
8	NICKEL AS NI	ng/M3	BDL	20	CPCB GUIDELINE


* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----


ANALYSED BY


VERIFIED BY

For BEIL Infrastructure Ltd.

AUTHORIZED BY

Regd. office & Works Office: Plot No 9701-16, G.I.D.C. Estate, Post Box No 82, Ankleshwar - 393002, Dist - Bharuch (Gujarat)

Tel: (02646) 253135, 225228 | Fax: (02646) 222849 | E-Mail: dalwadibd@beil.co.in, sathish.gaddam@beil.co.in

CIN NO : U45300GJ1997PLC032696

Terms & Condition are on backside



BEIL INFRASTRUCTURE LIMITED

(Formerly known as Bharuch Enviro Infrastructure Ltd.)

ANALYTICAL RESEARCH LABORATORY

TEST REPORT



MoEF Approved Laboratory NABL ACCREDITED LAB (TC-8141) ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

Barcode Id b2d819b0cc Report No/Sample ID TC814120000000204F Report Date 17-Mar-20


Name Of Customer:	BEIL INFRASTRUCTURE LIMITED		
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002		
Sample Description:	AMBIENT AIR (STATION-2)		
Sample Quantity:	25 ml	Sample Received Date:	13-Mar-20
Sampling Location:	Opposite of C6LW4 Phase-2,	Sampling Procedure:	
Sample Collected By	By BEIL	Analysis Start Date:	14-Mar-20
Packing Details	null	Analysis Completion Date:	17-Mar-20
Fuel	---	Sample Type	Air Sample

Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	RSPM(PM10)	µg/m3	90.21	100	IS:5182(P-23), 2006
2	PM 2.5	µg/m3	35.11	60	GPCB GUIDELINE
3	SULPHUR DIOXIDE	µg/m3	6.40	80	IS:5182(P-2), 2001
4	NITROGEN DIOXIDE	µg/m3	9.70	80	IS:5182(P-6), 2006
5	AMMONIA (AIR)	µg/m3	BDL	400	TITRIMETRIC
6	LEAD AS PB	µg/m3	BDL	1	CPCB GUIDELINE
7	ARSENIC AS AS	µg/m3	BDL	6	CPCB GUIDELINE
8	NICKEL AS NI	ng/M3	BDL	20	CPCB GUIDELINE

* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----


ANALYSED BY


VERIFIED BY

For BEIL Infrastructure Ltd.

AUTHORIZED BY



BEIL INFRASTRUCTURE LIMITED

(Formerly known as Bharuch Enviro Infrastructure Ltd.)

ANALYTICAL RESEARCH LABORATORY

TEST REPORT



MoEF Approved Laboratory NABL ACCREDITED LAB (TC-8141) ISO 14001 & BS OHSAS 18001 Certified Laboratory

Page: 1 of 1

Barcode Id 80b4520c42 Report No/Sample ID TC81412000000205F Report Date 17-Mar-20

Name Of Customer:	BEIL INFRASTRUCTURE LIMITED		
Address Of Customer:	Plot No 9701-16,GIDC Estate Ankleshwar,Dist : Bharuch,Gujarat Ankleshwar - 393002		
Sample Description:	AMBIENT AIR (STATION-3)		
Sample Quantity:	25 ml	Sample Received Date:	13-Mar-20
Sampling Location:	Behind Shed No. 08 corner	Sampling Procedure:	
Sample Collected By	By BEIL	Analysis Start Date:	14-Mar-20
Packing Details	null	Analysis Completion Date:	17-Mar-20
Fuel	---	Sample Type	Air Sample

Sr. No	Parameters	Unit	Result	Permissible Limit	Method Ref.
1	RSPM(PM10)	µg/m3	87.73	100	IS:5182(P-23), 2006
2	PM 2.5	µg/m3	28.48	60	GPCB GUIDELINE
3	SULPHUR DIOXIDE	µg/m3	8.75	80	IS:5182(P-2), 2001
4	NITROGEN DIOXIDE	µg/m3	13.78	80	IS:5182(P-6), 2006
5	AMMONIA (AIR)	µg/m3	BDL	400	TITRIMETRIC
6	LEAD AS PB	µg/m3	BDL	1	CPCB GUIDELINE
7	ARSENIC AS AS	µg/m3	BDL	6	CPCB GUIDELINE
8	NICKEL AS NI	ng/M3	BDL	20	CPCB GUIDELINE

* Parameters are not in NABL scope

Remarks:

----- END OF REPORT -----

For BEIL Infrastructure Ltd.

ANALYSED BY

VERIFIED BY

AUTHORIZED BY

Regd. office & Works Office: Plot No 9701-16, G.I.D.C. Estate, Post Box No 82, Ankleshwar - 393002, Dist - Bharuch (Gujarat)

Tel: (02646) 253135, 225228 | Fax: (02646) 222849 | E-Mail: dalwadibd@beil.co.in, sathish.gaddam@beil.co.in

CIN NO : U45300GJ1997PLC032696

Terms & Condition are on backside