



Phase- I Monitoring of Gas Vent Provided in SLFUU

Annexure-V Page1/3

Sr No	Location	VOC			H ₂ S		
		Results in ppb			Results in ppb		
		19-Oct-19	14-Nov-19	11-Dec-19	19-Oct-19	14-Nov-19	11-Dec-19
1	VENT-08	BDL	BDL	1.00	BDL	BDL	BDL
2	VENT-09	BDL	BDL	BDL	BDL	BDL	BDL
3	VENT-11	BDL	BDL	BDL	BDL	BDL	BDL
4	VENT-14	1.00	BDL	1.00	BDL	BDL	1.00
5	VENT-15	BDL	1.00	BDL	BDL	BDL	BDL
6	VENT-17	BDL	BDL	BDL	1.00	BDL	BDL
7	VENT-18	BDL	BDL	BDL	BDL	BDL	BDL
8	VENT-19	BDL	BDL	BDL	BDL	BDL	BDL
9	VENT-21	BDL	BDL	BDL	BDL	BDL	BDL
10	VENT-22	BDL	1.00	BDL	BD L	BDL	BDL
11	VENT-23	BDL	BDL	BDL	BDL	1.00	BDL
12	VENT-24	BDL	BDL	1.00	BDL	BDL	BDL
13	VENT-25	BDL	BDL	BDL	BDL	BDL	BDL

For BEIL INFRASTRUCTURE LTD.


Mr. Ajay Patel
(Executive-QA)


Mr. Sathish Gaddam
(Sr. Manager-QA)

Phase- II Monitoring of Gas Vent Provided in SLF

Annexure-V Page2/3

Sr No	Location	VOC			H ₂ S		
		Results in ppb			Results in ppb		
		19-Oct-19	14-Nov-19	11-Dec-19	19-Oct-19	14-Nov-19	11-Dec-19
1	VENT-3	BDL	BDL	BDL	BDL	BDL	BDL
2	VENT-7	BDL	BDL	BDL	BDL	BDL	BDL
3	VENT-8	BDL	BDL	BDL	BDL	BDL	BDL
4	VENT-09	BDL	1.00	BDL	BDL	BDL	BDL
5	VENT-10	BDL	BDL	1.00	BDL	BDL	BDL
6	VENT-12	BDL	BDL	BDL	BDL	BDL	BDL
7	VENT-14	BDL	BDL	BDL	BDL	BDL	BDL
8	VENT-15	BDL	BDL	BDL	BDL	BDL	BDL
9	VENT-16	BDL	BDL	BDL	BDL	BDL	BDL
10	VENT-24	BDL	BDL	BDL	BDL	BDL	BDL
11	VENT-25	BDL	1.00	BDL	BDL	BDL	BDL
12	VENT-26	BDL	BDL	1.00	BDL	BDL	1.00
13	VENT-27	BDL	BDL	BDL	BDL	BDL	BDL
14	VENT-28	BDL	BDL	BDL	BDL	BDL	BDL
15	VENT-29	BDL	BDL	BDL	BDL	1.00	BDL
16	VENT-30	BDL	BDL	BDL	BDL	BDL	BDL
20	VENT-31	BDL	BDL	BDL	BDL	BDL	BDL
21	VENT-32	BDL	BDL	BDL	BDL	BDL	BDL
22	VENT-33	BDL	BDL	BDL	BDL	BDL	BDL
23	VENT-34	BDL	BDL	1.00	BDL	BDL	BDL
24	VENT-35	BDL	BDL	BDL	BDL	BDL	BDL
25	VENT-36	1.00	BDL	BDL	BDL	BDL	BDL
26	VENT-37	BDL	BDL	BDL	1.00	BDL	BDL
27	VENT-38	BDL	BDL	BDL	BDL	1.00	1.00
28	VENT-39	BDL	BDL	BDL	BDL	BDL	BDL
29	VENT-40	BDL	BDL	BDL	BDL	BDL	BDL
30	VENT-41	BDL	BDL	BDL	BDL	BDL	BDL
31	VENT-42	BDL	BDL	1.00	BDL	BDL	BDL
32	VENT-43	BDL	1.00	BDL	BDL	BDL	BDL
33	VENT-44	BDL	BDL	BDL	BDL	BDL	BDL
34	VENT-45	1.00	BDL	1.00	BDL	BDL	BDL
35	VENT-46	BDL	BDL	BDL	BDL	BDL	BDL
36	VENT-47	BDL	1.00	BDL	BDL	BDL	BDL
37	VENT-48	BDL	BDL	BDL	BDL	BDL	1.00
38	VENT-49	BDL	BDL	1.00	BDL	BDL	BDL
39	VENT-50	BDL	BDL	BDL	BDL	BDL	BDL
40	VENT-51	BDL	1.00	BDL	BDL	1.00	BDL
41	VENT-52	BDL	BDL	BDL	BDL	BDL	BDL
42	VENT-53	1.00	BDL	BDL	BDL	BDL	BDL

For BEIL INFRASTRUCTURE LTD.


 Mr. Ajay Patel

(Executive-QA)


 Mr. Sathish Gaddam


(Sr. Manager-QA)

Phase- III Monitoring of Gas Vent Provided in SLF


Annexure-V Page3/3

Sr No	Location	VOC			H ₂ S		
		Results in ppb			Results in ppb		
		19-Oct-19	14-Nov-19	11-Dec-19	19-Oct-19	14-Nov-19	11-Dec-19
1	VENT-1	BDL	BDL	BDL	BDL	BDL	BDL
2	VENT-2	BDL	1.00	BDL	BDL	1.00	BDL
3	VENT-3	BDL	BDL	BDL	1.00	BDL	BDL
4	VENT-4	BDL	BDL	BDL	BDL	BDL	BDL
5	VENT-5	BDL	BDL	1.00	BDL	BDL	BDL
6	VENT-6	BDL	BDL	BDL	BDL	BDL	BDL
7	VENT-7	1.00	BDL	BDL	BDL	BDL	BDL
8	VENT-8	BDL	BDL	BDL	BDL	BDL	1.00L
9	VENT-9	BDL	BDL	BDL	BDL	BDL	BDL
10	VENT-10	BDL	BDL	BDL	1.00	BDL	BDL
11	VENT-11	BDL	BDL	BDL	BDL	BDL	BDL
12	VENT-12	BDL	1.00	BDL	BDL	BDL	BDL
13	VENT-13	BDL	BDL	BDL	BDL	1.00	BDL
14	VENT-14	BDL	BDL	BDL	BDL	BDL	BDL
15	VENT-15	BDL	BDL	BDL	BDL	BDL	BDL

For BEIL INFRASTRUCTURE LTD.


Mr. Ajay Patel


(Executive-QA)


Mr. Sathish Gaddam


(Sr. Manager-QA)

Phase - I Monitoring of Gas Vent Provided in SLF Annexure - V Page 1/3

Sr. No.	Location	VOC			H ₂ S		
		Results in ppb			Results in ppm		
		16-Jan-20	13-Feb-20	17-Mar-20	16-Jan-20	13-Feb-20	17-Mar-20
1	VENT -08	BDL	BDL	BDL	BDL	BDL	BDL
2	VENT -09	BDL	BDL	BDL	BDL	BDL	BDL
3	VENT -11	1.0	BDL	BDL	BDL	BDL	BDL
4	VENT -14	BDL	BDL	BDL	BDL	BDL	BDL
5	VENT -15	BDL	BDL	1.0	BDL	BDL	BDL
6	VENT -17	BDL	BDL	BDL	BDL	BDL	BDL
7	VENT -18	BDL	BDL	BDL	BDL	1.0	BDL
8	VENT -19	BDL	BDL	BDL	BDL	BDL	BDL
9	VENT -21	BDL	BDL	BDL	BDL	BDL	BDL
10	VENT -22	BDL	1.0	BDL	1.0	BDL	BDL
11	VENT -23	BDL	BDL	BDL	BDL	BDL	1.0
12	VENT -24	BDL	BDL	BDL	BDL	BDL	BDL
13	VENT -25	BDL	BDL	BDL	BDL	BDL	BDL



Mr. Ajay Patel
 (Executive -QA)

FOR BEIL INFRASTRUCTURE LTD.


Mr. Sathish Gaddam
 (Sr. Manager-QA)

Phase - II Monitoring of Gas Vent Provided in SLF Annexure - V Page 2/3

Sr. No.	Location	VOC			H ₂ S		
		Results in ppb			Results in ppm		
		16-Jan-20	13-Feb-20	17-Mar-20	16-Jan-20	13-Feb-20	17-Mar-20
1	VENT -3	BDL	BDL	BDL	BDL	1	BDL
2	VENT -7	BDL	BDL	BDL	BDL	BDL	BDL
3	VENT -8	BDL	BDL	BDL	BDL	BDL	BDL
4	VENT -9	BDL	BDL	BDL	BDL	BDL	BDL
5	VENT -10	BDL	1	BDL	BDL	BDL	BDL
6	VENT -12	1	BDL	BDL	BDL	BDL	BDL
7	VENT -14	BDL	BDL	BDL	BDL	BDL	BDL
8	VENT -15	BDL	BDL	BDL	BDL	BDL	BDL
9	VENT -16	BDL	BDL	BDL	1	BDL	BDL
10	VENT -24	BDL	BDL	1	BDL	BDL	BDL
11	VENT -25	BDL	BDL	BDL	BDL	BDL	BDL
12	VENT -26	BDL	BDL	BDL	BDL	BDL	BDL
13	VENT -27	BDL	BDL	BDL	BDL	BDL	BDL
14	VENT -28	BDL	BDL	BDL	BDL	BDL	1
15	VENT -29	BDL	BDL	BDL	BDL	1	BDL
16	VENT -30	BDL	BDL	BDL	BDL	BDL	BDL
17	VENT -31	BDL	BDL	1	BDL	BDL	BDL
18	VENT -32	BDL	BDL	BDL	BDL	BDL	BDL
19	VENT -33	BDL	BDL	BDL	BDL	BDL	BDL
20	VENT -34	BDL	BDL	BDL	BDL	1	BDL
21	VENT -35	BDL	BDL	BDL	BDL	BDL	BDL
22	VENT -36	BDL	BDL	BDL	BDL	BDL	BDL
23	VENT -37	BDL	BDL	BDL	BDL	BDL	BDL
24	VENT -38	BDL	BDL	BDL	BDL	BDL	BDL
25	VENT -39	BDL	1	BDL	BDL	BDL	BDL
26	VENT -40	BDL	BDL	BDL	BDL	BDL	BDL
27	VENT -41	BDL	BDL	BDL	BDL	BDL	BDL
28	VENT -42	BDL	BDL	BDL	1	BDL	BDL
29	VENT -43	BDL	BDL	BDL	BDL	BDL	1
30	VENT -44	BDL	BDL	BDL	BDL	BDL	BDL
31	VENT -45	BDL	BDL	BDL	BDL	BDL	BDL
32	VENT -46	1	BDL	BDL	BDL	BDL	BDL
33	VENT -47	BDL	BDL	BDL	BDL	BDL	BDL
34	VENT -48	BDL	BDL	BDL	BDL	BDL	BDL
35	VENT -49	BDL	BDL	BDL	BDL	BDL	BDL
36	VENT -50	BDL	BDL	BDL	BDL	BDL	BDL
37	VENT -51	BDL	BDL	BDL	BDL	BDL	BDL
38	VENT -52	BDL	BDL	BDL	BDL	BDL	BDL
39	VENT -53	BDL	BDL	BDL	BDL	BDL	BDL


Mr. Ajay Patel
 (Executive -QA)

FOR BEIL INFRASTRUCTURE LTD.



Mr. Sathish Gaddam
 (Sr. Manager-QA)

Phase - III Monitoring of Gas Vent Provided in SLF Annexure - V Page 3/3

Sr. No.	Location	VOC			H ₂ S		
		Results in ppb			Results in ppm		
		16-Jan-20	13-Feb-20	17-Mar-20	16-Jan-20	13-Feb-20	17-Mar-20
1	VENT -1	BDL	BDL	BDL	BDL	BDL	BDL
2	VENT -2	BDL	BDL	BDL	BDL	BDL	BDL
3	VENT -3	BDL	BDL	BDL	1	BDL	BDL
4	VENT -4	BDL	1	BDL	BDL	BDL	BDL
5	VENT -5	BDL	BDL	BDL	BDL	BDL	BDL
6	VENT -6	BDL	BDL	BDL	BDL	BDL	BDL
7	VENT -7	BDL	BDL	BDL	BDL	BDL	BDL
8	VENT -8	BDL	BDL	1	BDL	1	BDL
9	VENT -9	1	BDL	BDL	BDL	BDL	1
10	VENT -10	BDL	BDL	BDL	BDL	BDL	BDL
11	VENT -11	BDL	BDL	BDL	BDL	BDL	BDL
12	VENT -12	BDL	BDL	BDL	BDL	BDL	BDL
13	VENT -13	BDL	BDL	BDL	BDL	BDL	BDL
14	VENT -14	BDL	BDL	BDL	BDL	BDL	BDL
15	VENT -15	BDL	BDL	BDL	BDL	BDL	BDL


Mr. Ajay Patel
 (Executive -QA)

FOR BEIL INFRASTRUCTURE LTD.


Mr. Sathish Gaddam
 (Sr. Manager-QA)