

Receipt Date From: 01-OCT-2019

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 31-OCT-2019

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
1	5bb361f57c			30-SEP-19 21:22:53	01-Oct-2019 05.43	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	2970.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
2	2d473efe30			30-SEP-19 21:24:10	01-Oct-2019 05.42	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	1460.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
3	ae9f4cd3ab			30-SEP-19 21:30:46	01-Oct-2019 05.41	INCINERATION ASH (36.2)	SOLID	P_1 GCT ASH	1610.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
4	0ddfd20263			30-SEP-19 22:43:49	01-Oct-2019 05.38	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	2780.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
5	656e5acf76			30-SEP-19 22:59:24	01-Oct-2019 05.40	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	1550.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
6	04f2056004			01-OCT-19 00:59:49	01-Oct-2019 05.51	INCINERATION ASH (36.2)	SOLID	P_1 BURNT ASH	3680.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
7	9a4d04cbac			01-OCT-19 01:04:56	01-Oct-2019 05.48	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	2270.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
8	75786f0d2f			01-OCT-19 01:29:00	01-Oct-2019 05.50	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	1680.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
9	bb3fd11cf6			01-OCT-19 01:52:08	01-Oct-2019 05.47	INCINERATION ASH (36.2)	SOLID	P_1 LIME ASH	850.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		

Receipt Date From: 01-OCT-2019

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 31-OCT-2019

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
10	010cd1b508			01-OCT-19 02:25:16	01-Oct-2019 05.46	INCINERATION ASH (36.2)	SOLID	P_1 LIME ASH	1310.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
11	4c16277a7e			01-OCT-19 02:35:08	01-Oct-2019 05.45	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	2690.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
12	abfa1d2923			01-OCT-19 05:12:35	01-Oct-2019 06.45	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	1970.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
13	0095dbbc53			01-OCT-19 06:00:27	01-Oct-2019 06.44	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	1650.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
14	05d2be4bbc			01-OCT-19 08:01:34	01-Oct-2019 10.59	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	1730.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
15	b7ded6266d			01-OCT-19 08:35:53	01-Oct-2019 10.58	INCINERATION ASH (36.2)	SOLID	P_1 GCT ASH	2670.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
16	378ebfb762			01-OCT-19 09:44:18	01-Oct-2019 17.46	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	17910.000		COMPATIBLE	NON-FLAMMABLE	17.9	ODOURLESS	PASS	COMPARABLE	NO	44.89	7.5
17	afb6657415			01-OCT-19 10:07:05	01-Oct-2019 11.00	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	2480.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
18	ad6190c791			01-OCT-19 10:08:48	01-Oct-2019 11.01	INCINERATION ASH (36.2)	SOLID	P_1 GCT ASH	2120.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		

Receipt Date From: 01-OCT-2019

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 31-OCT-2019

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
19	08523f2ebd			01-OCT-19 10:31:11	01-Oct-2019 13.11	INCINERATION ASH (36.2)	SOLID	P_2 BURNT ASH	1340.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
20	379ff7e388			01-OCT-19 11:33:21	01-Oct-2019 13.12	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	2840.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
21	800109f2f4			01-OCT-19 11:41:18	01-Oct-2019 13.14	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	960.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
22	6e968fa436			01-OCT-19 11:55:46	01-Oct-2019 13.15	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	1200.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
23	2b0b4629ad			01-OCT-19 12:10:47	01-Oct-2019 13.12	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	1120.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
24	b6377a209f			01-OCT-19 13:22:15	03-Oct-2019 09.52	ETP SLUDGE (34.3)	SOLID	SOLID WASTE	220.000		COMPATIBLE	NON-FLAMMABLE	2.2	ODOURLESS	PASS	COMPARABLE	NO	13.08	7.5
25	1a43f2ead0			01-OCT-19 13:33:28	01-Oct-2019 17.47	PROCESS RESIDUE WASTE (29.1)	SOLID	SALT FROM EVAPORATION	20380.000		COMPATIBLE	NON-FLAMMABLE	3.2	ODOURLESS	NOT PASS	COMPARABLE	NO	14.15	7.5
26	5c8959c216			01-OCT-19 14:28:34	01-Oct-2019 17.52	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	2270.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
27	6c526f7104			01-OCT-19 14:30:13	01-Oct-2019 21.36	KITCHEN/GARDEN WASTE, CONSTRUCTION WASTE (NO CATEGORY)	SOLID	KITCHEN WASTE	2700.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		

Receipt Date From: 01-OCT-2019

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 31-OCT-2019

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
28	b32fe49668			01-OCT-19 14:33:23	01-Oct-2019 21.35	KITCHEN/GARDEN WASTE, CONSTRUCTION WASTE (NO CATEGORY)	SOLID	KITCHEN WASTE	2480.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
29	39ce37a5b1			01-OCT-19 15:02:40	01-Oct-2019 21.34	KITCHEN/GARDEN WASTE, CONSTRUCTION WASTE (NO CATEGORY)	SOLID	KITCHEN WASTE	2730.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
30	f186bb2eb3			01-OCT-19 15:08:53	01-Oct-2019 21.34	KITCHEN/GARDEN WASTE, CONSTRUCTION WASTE (NO CATEGORY)	SOLID	KITCHEN WASTE	1960.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
31	ac3f592cbe			01-OCT-19 15:30:09	01-Oct-2019 17.49	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	14050.000		COMPATIBLE	NON-FLAMMABLE	9.3	ODOURLESS	NOT PASS	COMPARABLE	NO	71.28	7.5
32	3846e974e4			01-OCT-19 15:31:30	01-Oct-2019 21.28	KITCHEN/GARDEN WASTE, CONSTRUCTION WASTE (NO CATEGORY)	SOLID	KITCHEN WASTE	1940.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
33	9d00a2b9ff			01-OCT-19 15:34:17	01-Oct-2019 17.50	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	14360.000		COMPATIBLE	NON-FLAMMABLE	10.0	ODOURLESS	NOT PASS	COMPARABLE	NO	71.78	7.5
34	39ba936ebd			01-OCT-19 15:43:05	01-Oct-2019 17.51	INCINERATION ASH (36.2)	SOLID	P_1 LIME ASH	400.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
35	f06162a7e3			01-OCT-19 15:44:55	01-Oct-2019 21.26	KITCHEN/GARDEN WASTE, CONSTRUCTION WASTE (NO CATEGORY)	SOLID	KITCHEN WASTE	750.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
36	f980274923			01-OCT-19 16:00:06	01-Oct-2019 21.25	KITCHEN/GARDEN WASTE, CONSTRUCTION WASTE (NO CATEGORY)	SOLID	KITCHEN WASTE	2700.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		

Receipt Date From: 01-NOV-2019

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 30-NOV-2019

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
1	c4c226fe91			30-OCT-19 14:40:28	02-Nov-2019 17.12	KITCHEN/GARDEN WASTE, CONSTRUCTION WASTE (NO CATEGORY)	SOLID	KITCHEN WASTE	1380.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
2	c617253c41			30-OCT-19 15:06:49	02-Nov-2019 17.13	KITCHEN/GARDEN WASTE, CONSTRUCTION WASTE (NO CATEGORY)	SOLID	KITCHEN WASTE	2970.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
3	000ff2817b			30-OCT-19 18:16:42	01-Nov-2019 16.19	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	12990.00 00		COMPATIBLE	NON-FLAMMABLE	30.5	ODOURLESS	PASS	COMPARABLE	NO	69.29	7.5
4	24a2cccb60			31-OCT-19 21:57:33	01-Nov-2019 00.11	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	1250.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
5	309222b343			31-OCT-19 22:02:17	01-Nov-2019 00.12	INCINERATION ASH (36.2)	SOLID	P_1 BURNT ASH	1740.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
6	05f842efeb			31-OCT-19 22:26:13	01-Nov-2019 00.12	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	2570.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
7	d3af27090f			31-OCT-19 22:48:43	01-Nov-2019 00.13	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	1380.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
8	f7e51c2a08			31-OCT-19 23:12:26	01-Nov-2019 00.13	INCINERATION ASH (36.2)	SOLID	P_2 GCT ASH	12570.00 00		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
9	7e101c8543			31-OCT-19 23:26:34	01-Nov-2019 01.56	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	1340.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		

Receipt Date From: 01-NOV-2019

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 30-NOV-2019

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
10	6dbb5392ba			31-OCT-19 23:47:35	01-Nov-2019 01.54	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	2320.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
11	404273fef4			01-NOV-19 00:32:48	01-Nov-2019 01.58	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	1140.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
12	3ad3490da6			01-NOV-19 01:21:50	01-Nov-2019 01.57	INCINERATION ASH (36.2)	SOLID	P_2 BURNT ASH	1670.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
13	1b7c501f0e			01-NOV-19 01:29:20	01-Nov-2019 01.55	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	1690.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
14	e9ffbd6791			01-NOV-19 01:31:27	01-Nov-2019 01.56	INCINERATION ASH (36.2)	SOLID	P_1 GCT ASH	740.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
15	1094c063f9			01-NOV-19 02:29:39	01-Nov-2019 05.13	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	1080.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
16	790a2d3855			01-NOV-19 02:47:58	01-Nov-2019 05.14	INCINERATION ASH (36.2)	SOLID	P_1 LIME ASH	1190.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
17	8d8718b11f			01-NOV-19 03:40:14	01-Nov-2019 05.15	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	1590.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
18	3ccace50d0			01-NOV-19 03:43:28	01-Nov-2019 05.16	INCINERATION ASH (36.2)	SOLID	P_1 BURNT ASH	3390.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		

Receipt Date From: 01-NOV-2019

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 30-NOV-2019

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
19	583cec8a6c			01-NOV-19 04:41:48	01-Nov-2019 05.16	INCINERATION ASH (36.2)	SOLID	P_1 LIME ASH	1390.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
20	0f2b8c9fb9			01-NOV-19 05:22:33	01-Nov-2019 06.23	INCINERATION ASH (36.2)	SOLID	P_2 BURNT ASH	1880.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
21	acca697be8			01-NOV-19 05:24:01	01-Nov-2019 06.22	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	2210.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
22	22146223d8			01-NOV-19 05:25:17	01-Nov-2019 06.23	INCINERATION ASH (36.2)	SOLID	P_1 BURNT ASH	1810.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
23	c8521de1f4			01-NOV-19 08:05:19	01-Nov-2019 15.59	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	2170.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
24	32d49abdde			01-NOV-19 14:24:10	01-Nov-2019 17.20	PROCESS RESIDUE WASTE (29.1)	SOLID	SALT FROM EVAPORATION	15175.000		COMPATIBLE	NON-FLAMMABLE	0.00	ODOURLESS	PASS	COMPARABLE	NO	21.49	7.5
25	f6ceb7e0			01-NOV-19 14:28:39	01-Nov-2019 17.20	PROCESS RESIDUE WASTE (29.1)	SOLID	SALT FROM EVAPORATION	17635.000		COMPATIBLE	NON-FLAMMABLE	0.00	ODOURLESS	PASS	COMPARABLE	NO	9.25	7.5
26	1b34d68bd7			01-NOV-19 14:33:07	01-Nov-2019 17.19	PROCESS RESIDUE WASTE (29.1)	SOLID	SALT FROM EVAPORATION	15545.000		COMPATIBLE	NON-FLAMMABLE	0.00	ODOURLESS	PASS	COMPARABLE	NO	8.34	7.5
27	cdf7f9945c			01-NOV-19 14:40:37	01-Nov-2019 16.02	INCINERATION ASH (36.2)	SOLID	P_1 LIME ASH	580.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		

Receipt Date From: 01-NOV-2019

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 30-NOV-2019

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
28	f4c3057d92			01-NOV-19 14:45:27	01-Nov-2019 15.58	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	1130.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
29	ec1e797c69			01-NOV-19 14:48:30	02-Nov-2019 17.06	KITCHEN/GARDEN WASTE, CONSTRUCTION WASTE (NO CATEGORY)	SOLID	KITCHEN WASTE	2530.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
30	7831d1593f			01-NOV-19 14:50:36	02-Nov-2019 17.11	KITCHEN/GARDEN WASTE, CONSTRUCTION WASTE (NO CATEGORY)	SOLID	KITCHEN WASTE	1860.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
31	a51022764d			01-NOV-19 14:53:06	02-Nov-2019 17.06	KITCHEN/GARDEN WASTE, CONSTRUCTION WASTE (NO CATEGORY)	SOLID	KITCHEN WASTE	2650.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
32	58705a9c49			01-NOV-19 15:19:16	01-Nov-2019 18.38	PROCESS RESIDUE WASTE (29.1)	SOLID	SALT FROM EVAPORATION	18560.0 00		COMPATIBLE	NON-FLAMMABLE	26.4	ODOURLESS	NOT PASS	COMPARABLE	NO	40.0	7.5
33	973d360b21			01-NOV-19 15:20:47	02-Nov-2019 17.10	KITCHEN/GARDEN WASTE, CONSTRUCTION WASTE (NO CATEGORY)	SOLID	KITCHEN WASTE	3230.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
34	bf16b90abd			01-NOV-19 15:21:48	02-Nov-2019 17.10	KITCHEN/GARDEN WASTE, CONSTRUCTION WASTE (NO CATEGORY)	SOLID	KITCHEN WASTE	1130.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
35	21a4f4a65c			01-NOV-19 15:30:39	02-Nov-2019 17.09	KITCHEN/GARDEN WASTE, CONSTRUCTION WASTE (NO CATEGORY)	SOLID	KITCHEN WASTE	2390.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
36	23ea8710d3			01-NOV-19 15:32:04	02-Nov-2019 17.08	KITCHEN/GARDEN WASTE, CONSTRUCTION WASTE (NO CATEGORY)	SOLID	KITCHEN WASTE	2330.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		

Receipt Date From: 01-DEC-2019

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 31-DEC-2019

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
1	9b7e3090fc			21-NOV-19 14:17:02	02-Dec-2019 13.06	KITCHEN/GARDEN WASTE, CONSTRUCTION WASTE (NO CATEGORY)	SOLID	DEAD BIOMASS	4310.000		COMPATIBLE	NON-FLAMMABLE	0.0	ODOURLESS	PASS	COMPARABLE	NO	9.01	7.5
2	201972e7d8			29-NOV-19 10:33:11	02-Dec-2019 11.07	NON RECYCLE WASTE (33.3)	NON RECYCLE WASTE	NRP WASTE	350.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
3	bde2cec357			30-NOV-19 13:41:40	01-Dec-2019 12.35	INCINERATION ASH (36.2)	SOLID	P_2 BURNT ASH	1910.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
4	1cc38ad19f			30-NOV-19 14:45:54	01-Dec-2019 12.22	INCINERATION ASH (36.2)	SOLID	P_1 LIME ASH	1850.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
5	4223818327			30-NOV-19 16:10:34	01-Dec-2019 12.28	PROCESS RESIDUE WASTE (29.1)	SOLID	SALT	18420.000		COMPATIBLE	NON-FLAMMABLE	0.00	ODOURLESS	PASS	COMPARABLE	NO	11.86	7.5
6	1a1c2e5821			30-NOV-19 16:12:20	02-Dec-2019 11.11	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	13730.000		COMPATIBLE	NON-FLAMMABLE	5.00	ODOURLESS	PASS	COMPARABLE	NO	29.22	7.5
7	a3d483738e			30-NOV-19 16:14:30	02-Dec-2019 11.31	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	17730.000		COMPATIBLE	NON-FLAMMABLE	14.8	ODOURLESS	PASS	COMPARABLE	NO	30.18	7.5
8	ad24f5ac49			30-NOV-19 16:32:22	01-Dec-2019 13.20	INCINERATION ASH (36.2)	SOLID	P_1 BURNT ASH	2130.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
9	cea6bbb991			30-NOV-19 16:35:48	01-Dec-2019 12.30	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	3640.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		

Receipt Date From: 01-DEC-2019

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 31-DEC-2019

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
10	80737371c8			30-NOV-19 16:37:40	01-Dec-2019 12.33	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	19340.000		COMPATIBLE	NON-FLAMMABLE	18.4	ODOURLESS	PASS	COMPARABLE	NO	64.31	7.5
11	8d73ca7575			30-NOV-19 16:42:33	01-Dec-2019 12.31	PROCESS RESIDUE WASTE (29.1)	SOLID	SALT	20630.000		COMPATIBLE	NON-FLAMMABLE	7.8	ODOURLESS	NOT PASS	COMPARABLE	NO	28.40	7.5
12	d6644a414a			30-NOV-19 16:47:15	01-Dec-2019 12.32	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	13785.000		COMPATIBLE	NON-FLAMMABLE	0.00	ODOURLESS	PASS	COMPARABLE	NO	19.86	7.5
13	e5f2df7c90			30-NOV-19 16:49:39	01-Dec-2019 12.30	INSULATION WASTE (31.1)	NON RECYCLE WASTE	INSULATION WASTE	730.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
14	8c2b093bd9			30-NOV-19 16:51:06	01-Dec-2019 12.29	NON RECYCLE WASTE (33.3)	NON RECYCLE WASTE	NRP WASTE	375.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
15	9bb75521ca			30-NOV-19 16:57:05	01-Dec-2019 12.37	INSULATION WASTE (31.1)	NON RECYCLE WASTE	INSULATION WASTE	610.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
16	7622c4f5f4			30-NOV-19 16:59:01	01-Dec-2019 12.35	INSULATION WASTE (31.1)	NON RECYCLE WASTE	INSULATION WASTE	630.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
17	d3095fe374			30-NOV-19 17:01:09	01-Dec-2019 13.11	ETP SLUDGE (34.3)	SOLID	BRINE SLUDGE	16640.000		COMPATIBLE	NON-FLAMMABLE	8.2	ODOURLESS	PASS	COMPARABLE	NO	34.10	7.5
18	91b5749f35			30-NOV-19 17:02:45	01-Dec-2019 12.36	NON RECYCLE WASTE (33.3)	NON RECYCLE WASTE	NRP WASTE	490.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		

Receipt Date From: 01-DEC-2019

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 31-DEC-2019

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
19	ccb80295b8			30-NOV-19 17:04:28	01-Dec-2019 13.12	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	18700.000		COMPATIBLE	NON-FLAMMABLE	21.8	ODOURLESS	NOT PASS	COMPARABLE	NO	48.10	7.5
20	5e2611c2b0			30-NOV-19 17:06:34	01-Dec-2019 13.13	ETP SLUDGE (34.3)	SOLID	GYPSUM SLUDGE	14055.000		COMPATIBLE	NON-FLAMMABLE	0.00	ODOURLESS	PASS	COMPARABLE	NO	19.41	7.5
21	3e351f95e5			30-NOV-19 17:09:19	01-Dec-2019 13.14	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	19110.000		COMPATIBLE	NON-FLAMMABLE	0.00	ODOURLESS	PASS	COMPARABLE	NO	16.49	7.5
22	00ddd778c9			30-NOV-19 17:14:04	01-Dec-2019 13.17	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT	9650.000		COMPATIBLE	NON-FLAMMABLE	0.00	ODOURLESS	PASS	COMPARABLE	NO	5.33	7.5
23	3496af4a52			30-NOV-19 17:51:06	01-Dec-2019 13.18	NON RECYCLE WASTE (33.3)	NON RECYCLE WASTE	NRP WASTE	735.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
24	ee57df8722			30-NOV-19 17:54:40	01-Dec-2019 13.19	ETP SLUDGE (34.3)	SOLID	GYPSUM SLUDGE	13425.000		COMPATIBLE	NON-FLAMMABLE	0.00	ODOURLESS	PASS	COMPARABLE	NO	21.17	7.5
25	242e5055cc			30-NOV-19 17:57:40	01-Dec-2019 13.20	PROCESS RESIDUE WASTE (29.1)	SOLID	SALT WASTE	19580.000		COMPATIBLE	NON-FLAMMABLE	0.00	ODOURLESS	PASS	COMPARABLE	NO	7.48	7.5
26	5b02a10545			30-NOV-19 17:59:53	01-Dec-2019 13.14	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	11850.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
27	707cba200d			30-NOV-19 20:59:52	01-Dec-2019 12.24	INCINERATION ASH (36.2)	SOLID	P_1 LIME ASH	1700.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		

Receipt Date From: 01-DEC-2019

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 31-DEC-2019

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
28	c4d9f1fa3e			30-NOV-19 21:04:13	01-Dec-2019 12.26	INCINERATION ASH (36.2)	SOLID	P_2 BURNT ASH	1350.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
29	a3031f09f3			30-NOV-19 22:18:21	01-Dec-2019 12.27	INCINERATION ASH (36.2)	SOLID	P_1 BURNT ASH	2490.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
30	b169786253			30-NOV-19 22:22:49	01-Dec-2019 13.15	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	2030.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
31	750ae38443			30-NOV-19 23:18:46	01-Dec-2019 13.19	INCINERATION ASH (36.2)	SOLID	P_1 GCT ASH	2240.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
32	1d9f78f225			01-DEC-19 00:39:38	01-Dec-2019 13.12	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	2440.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
33	d4a3f989d0			01-DEC-19 00:44:38	01-Dec-2019 12.33	INCINERATION ASH (36.2)	SOLID	P_1 BURNT ASH	2260.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
34	73f7ebecb			01-DEC-19 01:11:55	01-Dec-2019 12.20	INCINERATION ASH (36.2)	SOLID	P_1 LIME ASH	1560.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
35	c9fd050230			01-DEC-19 01:48:01	01-Dec-2019 12.23	INCINERATION ASH (36.2)	SOLID	P_2 BURNT ASH	1670.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
36	b4af65e86f			01-DEC-19 02:05:14	01-Dec-2019 13.10	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	4300.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		

Receipt Date From: 01-JAN-2020

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 31-JAN-2020

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
1	cbeebdb10f			01-JUL-19 13:54:24	29-Jan-2020 16.03	INCINERATION ASH (36.2)	SOLID	P_2 BURNT ASH	2260.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
2	bf040ee105			05-JUL-19 10:34:31	29-Jan-2020 16.03	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	1240.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
3	386cec60b3			11-JUL-19 16:09:18	31-Jan-2020 10.50	INCINERATION ASH (36.2)	SOLID	P_1 BURNT ASH	2050.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
4	ef5c2c682f			31-DEC-19 15:15:07	01-Jan-2020 11.48	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	19720.00 00		COMPATIBLE	NON-FLAMMABLE	14.0	ODOURLESS	PASS	COMPARABLE	NO	62.75	7.5
5	2283c28ffd			31-DEC-19 15:56:41	01-Jan-2020 10.44	PROCESS RESIDUE WASTE (29.1)	SOLID	SOLID WASTE	7510.00 0		COMPATIBLE	NON-FLAMMABLE	1.2	ODOURLESS	PASS	COMPARABLE	NO	13.18	4.00
6	93c6b2f01e			31-DEC-19 15:59:50	01-Jan-2020 10.21	INCINERATION ASH (36.2)	SOLID	P_2 BURNT ASH	2300.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
7	f1ca350a8b			31-DEC-19 16:06:04	01-Jan-2020 10.06	PROCESS RESIDUE WASTE (29.1)	SOLID	SALT WASTE	19330.00 00	18.52	COMPATIBLE	NON-FLAMMABLE	0.0	ODOURLESS	PASS	COMPARABLE	NO	13.08	7.5
8	ab2f39fc35			31-DEC-19 16:39:30	01-Jan-2020 10.08	PROCESS RESIDUE WASTE (29.1)	SOLID	SALT WASTE	17460.00 00	19.21	COMPATIBLE	NON-FLAMMABLE	0.0	ODOURLESS	PASS	COMPARABLE	NO	14.12	7.5
9	15610e8b5e			31-DEC-19 17:07:40	01-Jan-2020 14.50	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	3490.00 0		COMPATIBLE	NON-FLAMMABLE	10.5	ODOURLESS	PASS	COMPARABLE	NO	62.74	7.5

Receipt Date From: 01-JAN-2020

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 31-JAN-2020

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
10	55deeab4d8			31-DEC-19 17:51:37	01-Jan-2020 10.10	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	13700.000		COMPATIBLE	NON-FLAMMABLE	8.5	ODOURLESS	PASS	COMPARABLE	NO	44.16	7.5
11	4bd7696d1c			31-DEC-19 18:10:28	01-Jan-2020 10.05	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	10520.000		COMPATIBLE	NON-FLAMMABLE	25.3	ODOURLESS	PASS	COMPARABLE	NO	65.62	7.5
12	e09a5d6070			31-DEC-19 18:21:13	01-Jan-2020 09.24	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	1360.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
13	3839bcf899			31-DEC-19 22:38:57	01-Jan-2020 04.07	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	2320.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
14	91f8a94112			31-DEC-19 23:22:00	01-Jan-2020 04.06	INCINERATION ASH (36.2)	SOLID	P_2 BURNT ASH	2830.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
15	ed46f2d7d4			31-DEC-19 23:38:09	01-Jan-2020 04.05	INCINERATION ASH (36.2)	SOLID	P_1 GCT ASH	3670.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
16	d0cdb693e			31-DEC-19 23:47:13	01-Jan-2020 04.09	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	2850.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
17	becbb3bc59			01-JAN-20 01:26:45	01-Jan-2020 04.16	INCINERATION ASH (36.2)	SOLID	P_1 LIME ASH	1720.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
18	b052f37c22			01-JAN-20 01:32:37	01-Jan-2020 04.06	INCINERATION ASH (36.2)	SOLID	P_2 BURNT ASH	1800.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		

Receipt Date From: 01-JAN-2020

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 31-JAN-2020

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
19	0af752c83a			01-JAN-20 01:45:05	01-Jan-2020 04.08	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	740.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
20	fb48a3d842			01-JAN-20 02:26:24	01-Jan-2020 04.15	INCINERATION ASH (36.2)	SOLID	P_2 BURNT ASH	3210.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
21	e54f74d6a3			01-JAN-20 03:00:25	01-Jan-2020 04.17	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	2210.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
22	de87f86319			01-JAN-20 03:01:53	01-Jan-2020 04.14	INCINERATION ASH (36.2)	SOLID	P_2 BURNT ASH	4490.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
23	6414720055			01-JAN-20 03:38:28	01-Jan-2020 04.14	INCINERATION ASH (36.2)	SOLID	P_2 BURNT ASH	4520.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
24	e6e38a53ce			01-JAN-20 03:43:45	01-Jan-2020 04.13	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	1870.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
25	e6fab93404			01-JAN-20 04:16:44	01-Jan-2020 06.53	INCINERATION ASH (36.2)	SOLID	P_2 BURNT ASH	2430.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
26	c366c54dc8			01-JAN-20 07:39:55	01-Jan-2020 19.32	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	23470.000		COMPATIBLE	NON-FLAMMABLE	19.8	ODOURLESS	PASS	COMPARABLE	NO	68.92	7.5
27	6f61ecd0d8			01-JAN-20 09:40:50	01-Jan-2020 19.36	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	13980.000		COMPATIBLE	NON-FLAMMABLE	5.0	ODOURLESS	PASS	COMPARABLE	NO	61.08	7.5

Receipt Date From: 01-JAN-2020

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 31-JAN-2020

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
28	4206dd9365			01-JAN-20 09:43:04	01-Jan-2020 19.35	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	13180.000		COMPATIBLE	NON-FLAMMABLE	4.6	ODOURLESS	PASS	COMPARABLE	NO	58.78	7.5
29	4d854a0205			01-JAN-20 09:53:50	01-Jan-2020 19.37	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	16720.000		COMPATIBLE	NON-FLAMMABLE	0.00	ODOURLESS	PASS	COMPARABLE	NO	6.98	7.5
30	31ad7d0627			01-JAN-20 09:58:04	01-Jan-2020 19.33	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	18730.000		COMPATIBLE	NON-FLAMMABLE	9.9	ODOURLESS	NOT PASS	COMPARABLE	NO	63.74	7.5
31	00e09e4862			01-JAN-20 10:04:25	01-Jan-2020 19.37	NON RECYCLE WASTE (33.3)	NON RECYCLE WASTE	NRP WASTE	640.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
32	ec617dfa89			01-JAN-20 10:10:09	01-Jan-2020 19.33	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	18380.000		COMPATIBLE	NON-FLAMMABLE	11.8	ODOURLESS	NOT PASS	COMPARABLE	NO	32.74	7.5
33	a8a39fd73c			01-JAN-20 10:15:49	01-Jan-2020 19.39	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	16050.000		COMPATIBLE	NON-FLAMMABLE	0.00	ODOURLESS	PASS	COMPARABLE	NO	8.12	7.5
34	b31215dc3f			01-JAN-20 10:17:27	01-Jan-2020 19.39	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	17100.000		COMPATIBLE	NON-FLAMMABLE	0.00	ODOURLESS	PASS	COMPARABLE	NO	7.38	7.5
35	865ec7a264			01-JAN-20 10:24:13	01-Jan-2020 19.41	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	15800.000		COMPATIBLE	NON-FLAMMABLE	17.2	ODOURLESS	PASS	COMPARABLE	NO	71.72	7.5
36	858c0aac2d			01-JAN-20 10:29:56	01-Jan-2020 19.34	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	6870.000		COMPATIBLE	NON-FLAMMABLE	15.8	ODOURLESS	NOT PASS	COMPARABLE	NO	67.62	7.5

Receipt Date From: 01-FEB-2020

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 29-FEB-2020

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
1	3db66731b4			16-JUL-19 09:46:39	03-Feb-2020 11.59	INCINERATION ASH (36.2)	SOLID	BUNKER SLUDGE-1	2130.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
2	f0e271720f			29-JUL-19 22:04:00	03-Feb-2020 11.56	INCINERATION ASH (36.2)	SOLID	P_1 GCT ASH	2000.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
3	af1cf02e79			05-AUG-19 11:10:27	03-Feb-2020 11.57	INCINERATION ASH (36.2)	SOLID	P_2 GCT ASH	2980.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
4	d8008531ea			17-AUG-19 10:23:44	03-Feb-2020 12.01	INCINERATION ASH (36.2)	SOLID	P_1 BURNT ASH	2220.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
5	39c6e7542e			01-SEP-19 08:04:23	05-Feb-2020 10.58	INCINERATION ASH (36.2)	SOLID	P_2 GCT ASH	4090.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
6	07f112de394			02-SEP-19 16:34:53	05-Feb-2020 11.00	INCINERATION ASH (36.2)	SOLID	P_1 GCT ASH	2200.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
7	ddf25bbb6a			12-SEP-19 05:11:56	05-Feb-2020 11.07	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	2980.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
8	be1f33b3d4			05-OCT-19 09:41:48	05-Feb-2020 12.03	INCINERATION ASH (36.2)	SOLID	P_1 LIME ASH	1540.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
9	a06e6f93c0			05-OCT-19 17:41:09	05-Feb-2020 12.05	INCINERATION ASH (36.2)	SOLID	P_1 LIME ASH	950.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		

Receipt Date From: 01-FEB-2020

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 29-FEB-2020

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
10	a1b16135b2			26-OCT-19 23:00:19	05-Feb-2020 12.06	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	0.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
11	b3f78f1160			26-OCT-19 23:30:23	05-Feb-2020 12.08	INCINERATION ASH (36.2)	SOLID	P_1 LIME ASH	0.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
12	6e18589ec0			09-NOV-19 04:36:58	05-Feb-2020 12.11	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	1510.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
13	6cdb04e58d			20-NOV-19 13:11:16	04-Feb-2020 16.48	INCINERATION ASH (36.2)	SOLID	P_1 LIME ASH	2010.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
14	1765e5b88a			25-NOV-19 16:42:03	04-Feb-2020 16.53	KITCHEN/GARDEN WASTE, CONSTRUCTION WASTE (NO CATEGORY)	SOLID	KITCHEN WASTE	400.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
15	574811c71e			02-DEC-19 11:27:14	04-Feb-2020 16.51	INCINERATION ASH (36.2)	SOLID	P_1 GCT ASH	3300.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
16	62fc3683b4			26-DEC-19 12:03:46	04-Feb-2020 16.52	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	1150.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
17	d020af825f			18-JAN-20 14:23:48	04-Feb-2020 16.54	KITCHEN/GARDEN WASTE, CONSTRUCTION WASTE (NO CATEGORY)	SOLID	KITCHEN WASTE	2200.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
18	8ab6d671ab			31-JAN-20 12:37:18	01-Feb-2020 09.13	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	2420.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		

Receipt Date From: 01-FEB-2020

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 29-FEB-2020

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
19	34b21a634e			31-JAN-20 14:40:02	01-Feb-2020 09.09	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	15230.000	15.85	COMPATIBLE	NON-FLAMMABLE	0.0	ODOURLESS	PASS	COMPARABLE	NO	6.12	7.5
20	61f6f0be16			31-JAN-20 16:38:56	01-Feb-2020 09.40	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	11780.000		COMPATIBLE	NON-FLAMMABLE	5.6	ODOURLESS	PASS	COMPARABLE	NO	38.16	7.5
21	5e2e90b6b6			31-JAN-20 16:41:09	01-Feb-2020 09.38	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	13540.000		COMPATIBLE	NON-FLAMMABLE	7.0	ODOURLESS	PASS	COMPARABLE	NO	44.20	7.5
22	709ea61372			31-JAN-20 16:45:32	01-Feb-2020 09.48	NON RECYCLE WASTE (33.3)	NON RECYCLE WASTE	NRP WASTE	2170.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
23	a40ea43632			31-JAN-20 17:28:45	01-Feb-2020 09.36	PROCESS RESIDUE WASTE (29.1)	SOLID	PROCESS WASTE	12160.000	6.60	COMPATIBLE	NON-FLAMMABLE	10.2	ODOURLESS	PASS	COMPARABLE	NO	49.01	7.5
24	4c057b307c			31-JAN-20 17:30:32	01-Feb-2020 09.35	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	10500.000		COMPATIBLE	NON-FLAMMABLE	10.5	ODOURLESS	PASS	COMPARABLE	NO	68.20	4.0
25	b162a428d7			31-JAN-20 17:35:36	01-Feb-2020 09.41	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	16130.000		COMPATIBLE	NON-FLAMMABLE	17.2	ODOURLESS	PASS	COMPARABLE	NO	62.11	7.5
26	0855d8b93c			31-JAN-20 17:39:33	01-Feb-2020 09.37	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	18190.000		COMPATIBLE	NON-FLAMMABLE	13.5	ODOURLESS	PASS	COMPARABLE	NO	56.43	7.5
27	251d443c59			31-JAN-20 23:01:13	01-Feb-2020 04.05	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	1110.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		

Receipt Date From: 01-FEB-2020

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 29-FEB-2020

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
28	c1075085cf			31-JAN-20 23:06:31	01-Feb-2020 04.04	INCINERATION ASH (36.2)	SOLID	P_2 GCT ASH	1490.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
29	7cc457ad59			31-JAN-20 23:08:34	01-Feb-2020 04.04	INCINERATION ASH (36.2)	SOLID	P_2 BURNT ASH	3110.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
30	e0d1658b3d			01-FEB-20 00:52:56	01-Feb-2020 04.05	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	1530.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
31	c65fed2d9			01-FEB-20 01:19:06	01-Feb-2020 04.01	INCINERATION ASH (36.2)	SOLID	P_2 BURNT ASH	1320.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
32	49497c912b			01-FEB-20 01:57:24	01-Feb-2020 03.59	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	1040.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
33	49a57a82d6			01-FEB-20 01:58:58	01-Feb-2020 04.00	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	1500.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
34	fc87eb68a9			01-FEB-20 02:08:46	01-Feb-2020 03.58	INCINERATION ASH (36.2)	SOLID	P_1 BURNT ASH	4620.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
35	8727e0f82d			01-FEB-20 02:39:08	01-Feb-2020 06.34	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	1940.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
36	a3f4a0594e			01-FEB-20 02:42:05	01-Feb-2020 06.34	INCINERATION ASH (36.2)	SOLID	P_1 BURNT ASH	1660.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		

Receipt Date From: 01-MAR-2020

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 31-MAR-2020

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
1	d3bb20c3b0			29-FEB-20 10:20:02	01-Mar-2020 09.19	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	15970.000		COMPATIBLE	NON-FLAMMABLE	15.6	ODOURLESS	NOT PASS	COMPARABLE	NO	69.23	7.5
2	2123cdf689			29-FEB-20 13:53:34	01-Mar-2020 09.28	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	17320.000		COMPATIBLE	NON-FLAMMABLE	9.8	ODOURLESS	NOT PASS	COMPARABLE	NO	53.14	7.5
3	3001831eb1			29-FEB-20 14:17:40	01-Mar-2020 11.28	KITCHEN/GARDEN WASTE, CONSTRUCTION WASTE (NO CATEGORY)	SOLID	KITCHEN WASTE	2780.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
4	639447ac9c			29-FEB-20 14:23:51	01-Mar-2020 09.31	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	15360.000		COMPATIBLE	NON-FLAMMABLE	14.0	ODOURLESS	NOT PASS	COMPARABLE	NO	31.32	7.5
5	807da25b48			29-FEB-20 14:52:13	01-Mar-2020 11.28	KITCHEN/GARDEN WASTE, CONSTRUCTION WASTE (NO CATEGORY)	SOLID	KITCHEN WASTE	1910.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
6	df717765c1			29-FEB-20 14:53:18	01-Mar-2020 11.27	KITCHEN/GARDEN WASTE, CONSTRUCTION WASTE (NO CATEGORY)	SOLID	KITCHEN WASTE	1910.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
7	ff5dd41a3f			29-FEB-20 23:12:46	01-Mar-2020 04.39	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	1890.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
8	83baa446df			01-MAR-20 00:40:06	01-Mar-2020 04.38	INCINERATION ASH (36.2)	SOLID	P_1 GCT ASH	2440.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
9	7794ee7687			01-MAR-20 01:28:03	01-Mar-2020 04.38	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	1400.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		

Receipt Date From: 01-MAR-2020

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 31-MAR-2020

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
10	4d4679effc			01-MAR-20 02:02:26	01-Mar-2020 04.37	INCINERATION ASH (36.2)	SOLID	P_2 BURNT ASH	1560.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
11	034140fc1a			01-MAR-20 02:26:32	01-Mar-2020 06.51	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	930.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
12	1705c594cc			01-MAR-20 03:01:35	01-Mar-2020 06.50	INCINERATION ASH (36.2)	SOLID	P_1 BURNT ASH	3260.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
13	0abd22f8b2			01-MAR-20 03:12:19	01-Mar-2020 06.49	INCINERATION ASH (36.2)	SOLID	P_2 BURNT ASH	1740.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
14	8b3689b1e6			01-MAR-20 03:22:12	01-Mar-2020 06.48	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	1000.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
15	cd3690428b			01-MAR-20 06:00:54	01-Mar-2020 06.47	INCINERATION ASH (36.2)	SOLID	P_2 LIME ASH	890.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
16	3077e70275			01-MAR-20 06:12:56	01-Mar-2020 06.47	INCINERATION ASH (36.2)	SOLID	P_1 LIME ASH	1640.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
17	b8873dd387			01-MAR-20 08:30:41	01-Mar-2020 11.26	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	2200.00 0		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
18	24cccedb92			01-MAR-20 08:49:39	01-Mar-2020 18.48	INSULATION WASTE (31.1)	NON RECYCLE WASTE	INSULATION WASTE	870.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		

Receipt Date From: 01-MAR-2020

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 31-MAR-2020

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
19	2a561cb269			01-MAR-20 08:51:19	01-Mar-2020 18.52	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	11140.000		COMPATIBLE	NON-FLAMMABLE	5.0	ODOURLESS	NOT PASS	COMPARABLE	NO	68.56	7.5
20	7c2a8db860			01-MAR-20 08:52:15	01-Mar-2020 11.25	PROCESS RESIDUE WASTE (29.1)	SOLID	MEE SALT BEIL	2270.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
21	979c0849b7			01-MAR-20 08:54:17	01-Mar-2020 18.53	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	10120.000		COMPATIBLE	NON-FLAMMABLE	5.5	ODOURLESS	NOT PASS	COMPARABLE	NO	74.12	7.5
22	b473cea9b5			01-MAR-20 08:56:23	01-Mar-2020 19.19	ETP SLUDGE (34.3)	SOLID	BRINE SLUDGE	13540.000		COMPATIBLE	NON-FLAMMABLE	5.0	ODOURLESS	PASS	COMPARABLE	NO	40.12	7.5
23	5ab8b099f3			01-MAR-20 08:58:07	01-Mar-2020 18.48	ETP SLUDGE (34.3)	SOLID	BRINE SLUDGE	14070.000		COMPATIBLE	NON-FLAMMABLE	5.3	ODOURLESS	PASS	COMPARABLE	NO	38.60	7.5
24	63e0eb9388			01-MAR-20 09:01:23	01-Mar-2020 19.33	PROCESS RESIDUE WASTE (29.1)	SOLID	SALT	16260.000		COMPATIBLE	NON-FLAMMABLE	0.0	ODOURLESS	PASS	COMPARABLE	NO	10.01	7.5
25	efdc483e19			01-MAR-20 09:03:16	01-Mar-2020 19.21	ETP SLUDGE (34.3)	SOLID	BRINE SLUDGE	14190.000		COMPATIBLE	NON-FLAMMABLE	4.8	ODOURLESS	PASS	COMPARABLE	NO	40.44	7.5
26	9031805d87			01-MAR-20 09:04:20	01-Mar-2020 10.39	INCINERATION ASH (36.2)	SOLID	P_2 GCT ASH	3940.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
27	bd273a4e25			01-MAR-20 09:05:02	01-Mar-2020 10.40	INCINERATION ASH (36.2)	SOLID	P_2 GCT ASH	1470.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		

Receipt Date From: 01-MAR-2020

FINGERPRINT ANALYSIS REPORT - LANDFILL

Receipt Date To: 31-MAR-2020

Sr No	ID	MANIFEST	CUSTOMER	Inward Date	Analysis Date	Waste Type / Category No	Physical State	Product Code	Quantity (KG)	*ANNEALING LOSS	*COMPATIBILITY TEST	*FLAMMABILITY TEST	*LRT TEST	*ODOUR	*PFLT TEST	COMPARISON WITH STD	METAL STABILIZATION REQUIRED	MOISTURE CONTENT	PH
28	37f3c811c9			01-MAR-20 09:06:24	01-Mar-2020 19.22	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	17960.000		COMPATIBLE	NON-FLAMMABLE	11.1	ODOURLESS	PASS	COMPARABLE	NO	37.15	7.5
29	b563f973dd			01-MAR-20 09:10:09	01-Mar-2020 18.54	ETP SLUDGE (34.3)	SOLID	ETP SLUDGE	18960.000		COMPATIBLE	NON-FLAMMABLE	14.0	ODOURLESS	NOT PASS	COMPARABLE	NO	37.19	7.5
30	2591d24a50			01-MAR-20 09:11:58	01-Mar-2020 19.34	PROCESS RESIDUE WASTE (29.1)	SOLID	SALT	16500.000		COMPATIBLE	NON-FLAMMABLE	0.0	ODOURLESS	PASS	COMPARABLE	NO	9.80	7.5
31	fff94d133f			01-MAR-20 09:18:43	01-Mar-2020 18.49	NON RECYCLE WASTE (33.3)	NON RECYCLE WASTE	NRP WASTE	1090.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
32	1f61317aba			01-MAR-20 09:20:27	01-Mar-2020 18.55	PROCESS RESIDUE WASTE (29.1)	SOLID	SALT	16930.000		COMPATIBLE	NON-FLAMMABLE	7.5	ODOURLESS	NOT PASS	COMPARABLE	NO	31.26	7.5
33	999682bd24			01-MAR-20 09:23:55	01-Mar-2020 18.50	NON RECYCLE WASTE (33.3)	NON RECYCLE WASTE	NRP WASTE	1340.000		COMPATIBLE	NON-FLAMMABLE		ODOURLESS	PASS	COMPARABLE	NO		
34	c2b8ef59a2			01-MAR-20 09:25:47	01-Mar-2020 19.36	PROCESS RESIDUE WASTE (29.1)	SOLID	PROCESS WASTE	11010.000		COMPATIBLE	NON-FLAMMABLE	0.0	ODOURLESS	PASS	COMPARABLE	NO	14.60	7.5
35	558358df09			01-MAR-20 09:27:32	01-Mar-2020 19.39	PROCESS RESIDUE WASTE (29.1)	SOLID	PROCESS WASTE	16745.000		COMPATIBLE	NON-FLAMMABLE	0.0	ODOURLESS	PASS	COMPARABLE	NO	16.40	7.5
36	bc05ab8eaf			01-MAR-20 09:38:08	01-Mar-2020 19.38	PROCESS RESIDUE WASTE (29.1)	SOLID	SALT WASTE	19290.000		COMPATIBLE	NON-FLAMMABLE	0.0	ODOURLESS	PASS	COMPARABLE	NO	12.80	7.5